



Quality Tools for Smart Cleaning™



**FULL PRODUCT CATALOG**





Quality Tools for Smart Cleaning™



## PURE WATER WINDOW CLEANING

Cleaning with Pure Water.....4

### Pure Water Systems

HydroPower® Ultra.....7

HydroPower® Nano.....8

HydroPower® RO.....9

### Waterfed Pole System

nLITE® Waterfed Pole system.....10

HydroPower® Ultra Kits.....14

nLITE® Accessories.....14

nLITE® Brushes.....16

nLITE® PowerPad.....18

ErgoTec® Gloves.....19

## TRADITIONAL WINDOW CLEANING

Washers.....22

Squeegees.....24

Scrapers.....29

Glass Cleaning Kits & Accessories.....33

Belts.....35

## HIGH ACCESS CLEANING & DUSTING

Tool Connection Chart.....37

Telescopic Poles.....38

Dusters.....41

Additional Attachments.....43

## INDOOR WINDOW & SURFACE CLEANING

Stingray® System.....44

SpeedClean™ System.....48

Microfiber Cloths.....50

## CARTS

Janitorial & Restroom Cleaning

Janitorial Cart Systems.....52

Restroom Rx® Accessories.....57

## FLOOR CARE

Mopping Systems.....60

OmniClean System.....63

Excella® System.....66

Dual Bucket Cleaning System.....70

Floor Mops.....72

SmartColor™ Coding.....74

Handles, Poles, & Brushes.....75

Tool Holders.....76

Floor Scrapers & Blades.....77

Pro Aluminum Handles.....78

Floor Squeegees.....79

## LITTER PICKING & REACHING AIDS

NiftyNabber® Tools & Accessories.....83



**HYDROPOWER<sup>®</sup>**  
**ULTRA**



HydroPower Ultra professional window cleaning system uses deionizing technology for pure water cleaning which is the fastest, safest, and most efficient way to clean outdoor glass surfaces, leaving a spot-free finish.

pg. 7



**nLITE<sup>®</sup>**

UNGER's Generation 2 nLITE Waterfed Pole System showcases innovative high quality, enabling safe ground-based cleaning of outdoor windows up to 55 feet using pure water technology in lightweight yet durable poles.

pg. 10-15



**STINGRAY**  
*The Ultimate Indoor Cleaning Tool*



The award-winning Unger Stingray Indoor Cleaning Tool effortlessly cleans indoor glass and surfaces without drips, reaches high access areas ladder-free, and features a unique design that speeds up window cleaning by up to 25%, using either easy gliding microfiber or absorbent QuikPad™ disposable pads.

pg. 44-47



**Rx<sup>™</sup> CARTS**  
*A HIGHER LEVEL OF CLEAN*

The newest members of Unger's Rx line of cleaning carts, the DeepCleanRx™, SpotCleanRx™ and ZoneCleanRx™. The Rx Cart lineup includes turnkey kits for specific applications – making ordering and configuring a cleaning cart simple and easy. Each Rx system is a prescription for clean, giving you the right tool, in the right place, for the right job.

pg. 51-58



**OmniClean**



Unger OmniClean is the latest, groundbreaking innovation in floor cleaning. For the first time in history, you can truly clean your floors with a mop and bucket! Ditch that old mop and dirty water and start truly cleaning with Unger OmniClean.

pg. 63-65



**Unger Excella<sup>®</sup>**  
*Clean floors twice as fast*



Unger Excella is ready for immediate use. With its ability to provide quick spot cleaning around tables and quick drying capability, Unger Excella Floor Cleaning is the fastest floor cleaning method.

pg. 66-69



Quality Tools for Smart Cleaning™

# PURE WATER WINDOW CLEANING



## FEATURED PRODUCT

pg. 18



### nLITE®

nLITE® POWERPAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| PWH45    | 18" / 45 cm | 1         |

- Handle & Microfiber PowerPad

Pure water cleaning eliminates minerals that cause limescale spots and streaks, making it fast, cost-effective, eco-friendly, and safe.

UNGER'S pure water tools offer tailored cleaning solutions for various industries, ensuring pristine facilities, enhancing OSHA compliance, and boosting employee productivity and well-being.

## LEARN MORE HERE



EASY, FAST, & SAFE

# Cleaning with Pure Water

## WHAT IS PURE WATER?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks. Such impurities are referred to as **TDS** (total dissolved solids) and are measured in **ppm** (parts per million). The water is considered 100% demineralized (pure) when TDS is 0 ppm.

## ADVANTAGES



### EASY

Easy to operate and simple resin change



### FAST

Twice as fast as traditional glass cleaning - just one process



### COST-SAVING

Half the labor costs and no lift rental fees



### ENVIRONMENTALLY FRIENDLY

Glass cleaning without harmful cleaning chemicals



### SAFE

Safely work from the ground up to 68 ft., with no need for ladders or lifts

## TYPICAL APPLICATIONS



### WINDOW AND FACADE CLEANING:

- Fast and effective method – great results
- Easy access of hard to reach areas



### SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Leaves no streaks or detergent residue



## Water purification

### TYPES OF WATER PURIFICATION

There are three methods of water purification that are used in the window cleaning industry: Deionization, Nanofiltration, and Reverse Osmosis.

Find the water filtration system that meets your pure water cleaning needs.



| SITUATION             | ULTRA | NANO   | RO   |
|-----------------------|-------|--------|------|
| Hard Water            |       | ✓      | ✓    |
| Daily Window Cleaning | ✓     | ✓      | ✓    |
| Low Water Pressure    |       |        | ✓    |
| Access to Electricity |       |        | ✓    |
| Compact & Lightweight | ✓     |        |      |
| Investment Cost       | Low   | Medium | High |
| Resin Replacement     | High  | Medium | Low  |
| Membrane Replacement  |       | Low    | Low  |

### FILTRATION METHODS


**Deionization:** Ultra resin pack filtration

**Nanofiltration:** High-Quality triple-stage filtration using a large pore membrane

**Reverse Osmosis:** High-Quality triple-stage filtration using a smaller pore membrane

### UNDERSTANDING TDS

TDS (Total Dissolved Solids) measures the mineral content in water, which affects how efficiently a pure water system operates. Higher TDS consumes more resin, reducing system output before resin change is needed. Lower TDS allows for more pure water production with less resin use. Understanding your TDS level helps determine the right system capacity and maintenance needs.



## Efficient pure water cleaning with a Deionization (DI) system

### HYDRO POWER® ULTRA SYSTEM

Designed to be the perfect fit for professional window cleaners that demand the best for their window washing services. With over 30% more pure water per resin filling, the FloWater Technology 2.0 ensures a highly efficient flow of water through the whole tank, optimizing the resin saturation.

### HYDRO POWER® ULTRA TANKS



### HYDRO POWER® ULTRA RESINS

#### ULTRA RESIN PACKS



**Premium Ultra Resin**  
Perfected ion exchange resin, as required for cleaning glass

## HYDROPOWER® ULTRA



### RECOMMENDED USE

- Areas with soft or medium water hardness
- Suitable for sporadic and regular use
- Small Tank - ideal for tight working environment, occasional use, or for beginners
- Large Tank - optimal for larger work areas and more regular cleaning



### HydroPower® Ultra TANK

| Part No. | Tank              | Case Qty. |
|----------|-------------------|-----------|
| UHP01    | Small Tank        | 1         |
| UHP03    | Large Tank        | 1         |
| UHP3C    | Large Tank w/Cart | 1         |



UHPR1



UHPR2



UHPR3

### HydroPower® Ultra TANK RESINS

| Part No. | Resin Packs                                    | Case Qty. |
|----------|------------------------------------------------|-----------|
| UHPR1    | 1 Green<br>for use with UHP01                  | 1         |
| UHPR2    | 3 Green<br>for use with UHP01                  | 1         |
| UHPR3    | 1 Green + 2 Red<br>for use with UHP03 or UHP3C | 1         |

## Economical Pure Water System with Nanofiltration & DI Technology for Superior Cleaning

### HYBRID PURE WATER SYSTEM

Revolutionize your cleaning process with this advanced, hybrid Pure Water System. Designed for cleaning professionals, it seamlessly integrates a triple-stage filtration system with a pre-filter, a 40" large-pore nano-membrane, and the proven Hydropower DI resin unit.



#### HydroPower<sup>®</sup> NANO COMPLETE

| Part No. | Weight                          | Size                      | Case Qty. |
|----------|---------------------------------|---------------------------|-----------|
| NANOC    | 66 lbs (unit) / 78 lbs (filled) | 25.5" L x 19" W x 47.5" H | 1         |



### ADVANTAGES



RESIN LONGEVITY



TRANSPORTABLE



CONSERVES WATER



NO ELECTRICITY

### HYDRO POWER<sup>®</sup> NANO SYSTEM

The system delivers an economical and effective cleaning solution that produces spotless, pure water for a streak-free finish. With an emphasis on portability, performance, and ease of use, it's a perfect choice for cleaning windows, facades, and hard-to-reach surfaces.

### RECOMMENDED USE

- Areas with moderate to high water hardness
- Continuous water purification to meet high demand

### ADDITIONAL FEATURES

- Produces up to 1.5 gallons of pure water per minute for streak-free cleaning of smooth exterior surfaces
- Compact, portable design ensures easy transport and maintenance
- **Triple-stage filtration**
  - Pre-filter to capture chlorine and sediments
  - Large pore nano membrane removes impurities from water at a molecular level to provide maximum water flow
  - DI resin to filter any remaining impurities



#### HydroPower<sup>®</sup> NANO BASE

| Part No. | Weight        | Size                      | Case Qty. |
|----------|---------------|---------------------------|-----------|
| NANOB    | 46 lbs (unit) | 25.5" L x 19" W x 47.5" H | 1         |



# HYDROPOWER<sup>®</sup> RO SYSTEM

## REVERSE OSMOSIS FILTER (RO)

Cleaning with pure water reduces running costs, especially in areas with hard water. The **HydroPower<sup>®</sup> RO** pressurizes water through a 3-stage filtration process, resulting in high cleaning efficiency that leaves surfaces streak-free. The boost function provides high pressure dirt and debris removal while optimizing filter usage.

## RECOMMENDED USE

- Areas with hard to very hard water
- Constant water purification with high water demand



## ADDITIONAL FEATURES

- Pure water mode (up to 60 gal. per minute output): pure water for streak-free cleaning of smooth exterior surfaces
- Boost mode (up to 180 gal. per minute output): strong tap water jet on demand for pre-washing heavily soiled surfaces and other dirt that a brush can't reach
- Compact and robust design makes it easy to transport and maintain
- **High-Quality 3-stage filtration**
  - Pre-filter to capture chlorine and sediments
  - Premium 30" RO membrane to remove dissolved minerals
  - DI polisher to filter any remaining impurities



## HydroPower<sup>®</sup> RO

| Part No. | Weight                              | Size                  | Case Qty. |
|----------|-------------------------------------|-----------------------|-----------|
| R020S    | 99 lbs (unit) /<br>110 lbs (filled) | 36" L x 21" W x 18" H | 1         |


## Safely work up to 68 ft., with no ladders or lifts

### REACH NEW HEIGHTS FROM THE GROUND

Cleaning windows from the ground using **UNGER nLITE®** telescopic poles is an efficient and safe method, especially for heights up to 68 feet. These poles are made from lightweight yet durable material using carbon fiber and fiberglass. This allows cleaners to reach high windows without the need for ladders or scaffolding, reducing the risk of falls. To ensure safety, these poles are well-built and extend smoothly, with secure locking clamps to avoid accidents.



20' — Color = material  
— Height indication = extended height



**nLITE®**

**nLITE®**

| Part No.    | CARBON COMPOSITE |           |             | CARBON 24K |               | Aluminum      | HiMod CARBON     |
|-------------|------------------|-----------|-------------|------------|---------------|---------------|------------------|
|             | CC32T            | CC60T     | CC85T       | CF60T      | CF86G + CF33G | AN60G + AN30G | UC67G + 3x UC35G |
| Sections    | 2                | 4         | 6           | 4          | 6 + 2         | 4 + 2         | 4 + 3 x 2        |
| Pole length | 10.5' / 3.2 m    | 20' / 6 m | 28' / 8.5 m | 20' / 6 m  | 39' / 11.8 m  | 30' / 9 m     | 55' / 17 m       |
| Recommended | Ground floor     | 1st floor | 2nd floor   | 1st floor  | 4th floor     | 3rd floor     | 5th floor        |
| Strength    | 100 GPa*         | 100 GPa*  | 100 GPa*    | 210 GPa*   | 210 GPa*      | 30 GPa*       | 180 GPa*         |

\*GPa (Gigapascal) is a unit of measure of material strength



## Strong and lightweight high-reach modular pole systems designed for commercial use

### UNGER nLITE®

The next generation of the **UNGER nLITE®** Waterfed Pole System exemplifies innovation and high quality. Using pure water is the fastest and most efficient way to clean outdoor glass surfaces. The lightweight and rigid **nLITE®** carbon waterfed poles help keep workers safe by allowing them to clean from the ground.

### ADVANTAGES



- No twisting: trouble-free work and less wear and tear
- Optimal stability-to-weight ratio
- Greater pole rigidity
- More precise control of the cleaning movement




Telescopic Poles (CF60T, CC85T, CC60T, CC32T) can extend up to 28' depending on pole size chosen. Extension Poles cannot be added to Telescopic Poles.

### SMARTLOCK CLAMPS



### INTEGRATED HOSE MANAGEMENT



### PRECISION GRIP POLE FORM



### HIGH-END CARBON MATERIALS





Quality Tools for Smart Cleaning™

# WATERFED POLES

## nLite® Generation 1

### FULL FLEXIBILITY

Modular construction allows you to add on or remove Extension Poles to create telescopic poles in different lengths for cleaning at various heights.

### DIAMETER

Diameter of the nLite® pole you are holding will never exceed 1.4", irrespective of the number of Extension Poles.



### YELLOW VISUAL WARNING AREA

The top of the Extension Pole helps to avoid unintentional separation.



### DURABLE ENDCAP

Prevents accidental damage to the end of the pole and features a side opening for the hose exit when used inside the pole.

## Aluminum

## Generation 1



### nLite® ALUMINIUM

### Great Value

32.5  
FEET  
(10m)

WORKING REACH\*\*

AN60G / AN30G

| Part No. | Info           | Extended    | Collapsed    | Sections | Weight          | Extendable | Case Qty. |
|----------|----------------|-------------|--------------|----------|-----------------|------------|-----------|
| AN60G    | Main pole      | 20' / 6.1 m | 5.6' / 1.7 m | 4        | 4.4 lbs / 2 kg  | 1x AN30G   | 1         |
| AN30G    | Extension pole | 10' / 3.1 m | 5.5' / 1.5 m | 2        | 2.4 lb / 1.1 kg | --         | 1         |

Excellent rigidity thanks to modern construction technology.  
Material strength: 30 GPa\*

## HiMod CARBON

## Generation 1



### nLite® HiMODULUS CARBON

### Highest Reach

68  
FEET  
(20.7m)

WORKING REACH\*\*

UC67G / UC35G (4)

| Part No. | Info           | Extended     | Collapsed    | Sections | Weight           | Extendable | Case Qty. |
|----------|----------------|--------------|--------------|----------|------------------|------------|-----------|
| UC67G    | Main pole      | 22' / 6.71 m | 6' / 1.8 m   | 4        | 3.3 lbs / 1.5 kg | 4x UC35G   | 1         |
| UC35G    | Extension pole | 11' / 3.4 m  | 5.6' / 1.7 m | 2        | 1.5 lb / 0.7 kg  | --         | 1         |

The best in rigidity, superlight pole. Material strength: 180 GPa\*

\*GPa (Gigapascal) is a unit of measure of material strength.

\*\*Working Reach refers to the estimated maximum reach, including the full extension of the pole(s), brush, adapter, and the worker's reach, all combined.

### nLITE® Generation 2


#### CARBON 24K

Generation 2



#### nLITE® CARBON 24K

#### Superior Rigidity



| Part No. | Info            | Extended      | Collapsed    | Sections | Weight            | Extendable | Case Qty. |
|----------|-----------------|---------------|--------------|----------|-------------------|------------|-----------|
| CF60T    | Telescopic pole | 20' / 6 m     | 5.5' / 1.7 m | 4        | 2.5 lbs / 1.16 kg | --         | 1         |
| CF86G    | Main pole       | 28' / 8.5 m   | 5.5' / 1.7 m | 6        | 4.0 lb / 1.84 kg  | 2x CF33G   | 1         |
| CF33G    | Extension pole  | 10.5' / 3.2 m | 6' / 1.8 m   | 2        | 1.8 lb / 0.82 kg  | --         | 1         |

#### Telescopic pole for medium heights.

- Recommended for working reach\*\* of up to **52.5 ft.** (approx. 4 floors)
- Material strength: **210 GPa\***


#### CARBON COMPOSITE

Generation 2



#### nLITE® CARBON COMPOSITE

#### High Quality Material





| Part No. | Info            | Extended      | Collapsed    | Sections | Weight           | Extendable | Case Qty. |
|----------|-----------------|---------------|--------------|----------|------------------|------------|-----------|
| CC32T    | Telescopic pole | 10.5' / 3.2 m | 5.5' / 1.7 m | 2        | 1.5 lbs / 0.7 kg | --         | 1         |
| CC60T    | Telescopic pole | 20' / 6m      | 5.5' / 1.7 m | 4        | 3.0 lb / 1.4 kg  | --         | 1         |
| CC85T    | Telescopic pole | 28' / 8.5 m   | 5.5' / 1.7 m | 6        | 4.9 lb / 2.2 kg  | --         | 1         |

#### Telescopic pole for small to medium heights

- Recommended for working reach\*\* of up to **32.5 ft.** (approx. 2 floors)
- Material strength: **100 GPa\***

\*GPa (Gigapascal) is a unit of measure of material strength.

\*\*Working Reach refers to the estimated maximum reach, including the full extension of the pole(s), brush, adapter, and the worker's reach, all combined.

|                                                                                   |                                                                                          |                                                                                   |                                                                                    |                                                                                                                            |                                                                                                                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
|  |         |  |  |                                         |                                         |
| <b>HydroPower® Ultra KITS</b>                                                     | <b>STARTER KIT POWER PAD</b>                                                             | <b>PROFESSIONAL KIT</b>                                                           | <b>HiMOD KIT</b>                                                                   | <b>PROFESSIONAL</b>                                                                                                        | <b>ADVANCED</b>                                                                                                            |
| <b>Part No. (KITS)</b>                                                            | <b>UPWK1</b>                                                                             | <b>UHPK1</b>                                                                      | <b>UNLK1</b>                                                                       | <b>UNLK2</b>                                                                                                               | <b>UNLK5</b>                                                                                                               |
| <b>Length</b>                                                                     | <b>20'</b>                                                                               | <b>20'</b>                                                                        | <b>20'</b>                                                                         | <b>39'</b>                                                                                                                 | <b>39'</b>                                                                                                                 |
| HydroPower® Ultra Filter with resin                                               | <b>UHP01</b><br>Small Tank                                                               | <b>UHP01</b><br>Small Tank                                                        | <b>UHP01</b><br>Small Tank                                                         | <b>UHP01</b><br>Small Tank                                                                                                 | <b>UHP3C</b><br>Large Tank with Cart                                                                                       |
| nLITE® Telescopic Pole                                                            | <b>CP600</b><br>Carbon Trad Pole<br>20' / 6 m                                            | <b>AN60G</b><br>nLite® ALU<br>20' / 6 m                                           | <b>CC60T</b><br>Carbon Composite<br>20' / 6 m                                      | <b>CF86G</b> -Carbon 24K,<br>28' / 8.5M<br><b>CF33G</b> -Carbon 24k,<br>10.5' / 3.2m                                       | <b>CF86G</b> -Carbon 24K,<br>28' / 8.5M<br><b>CF33G</b> -Carbon 24k,<br>10.5' / 3.2m                                       |
| nLITE® Angle Adapter                                                              |                                                                                          | <b>NGC15</b><br>S (6" / 15 cm)                                                    | <b>NGS15</b><br>S (6" / 15 cm)                                                     | <b>NGS15</b><br>S (6" / 15 cm)                                                                                             | <b>NGS15</b><br>S (6" / 15 cm)                                                                                             |
| nLITE® Brush                                                                      | <b>PWH35</b><br>PowerPad<br>14" / 35 cm                                                  | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                               | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                                                        | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                                                        |
| nLITE® Hose                                                                       | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                     | <b>DLS25</b><br>Duro Flex 82' / 25 m                                              | <b>DLS25</b><br>Duro Flex 82' / 25 m                                               | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                                       | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                                       |
| Accessories                                                                       | <b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>10790</b> : 2x Hook & Loop<br>strips |                                                                                   |                                                                                    | <b>NLHCC</b> : Extension<br>Adapter<br><b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBAG</b><br>nLITE Carrying Bag | <b>NLHCC</b> : Extension<br>Adapter<br><b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBAG</b><br>nLITE Carrying Bag |
| Case Qty.                                                                         | 1                                                                                        | 1                                                                                 | 1                                                                                  | 1                                                                                                                          | 1                                                                                                                          |

## ACCESSORIES

### nLITE® CARRYING CASE



| Part No. | Case Qty. |
|----------|-----------|
| NLBAG    | 1         |

- Convenient carrying bag for storage and transportation of the nLITE pole system and accessories



### Hose Keeper Set (6)

| Part No. | Case Qty. |
|----------|-----------|
| NLHKP    | 1         |

- Clips for outer hose routing on nLITE pole

### DURAFLEX HIGH PERFORMANCE HOSE



| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| DLH25    | 82' / 25 m | 1         |

- Durable high performance hose for pure water supply from water filter to brush
- For use with NANO and RO Systems
- Diameter: 10 mm outer / 7 mm inner



### DURAFLEX HOSE

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| DLS25    | 82' / 25 m | 1         |

- Durable quick connect hose for pure water supply from water filter to brush
- Diameter: 8 mm outer / 5 mm inner

|                                                                                                                             |                                                                                                                            |                                                                                                                            |                                                                                                             |                                                                                                             |                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
|                                                                                                                             |                                                                                                                            |                                                                                                                            |                                                                                                             |                                                                                                             |                                                                                                             |
| <b>HP NANO PRO</b>                                                                                                          | <b>CARBON 24K KIT</b>                                                                                                      | <b>PROFESSIONAL KIT</b>                                                                                                    | <b>HiMOD KIT</b>                                                                                            | <b>PROFESSIONAL</b>                                                                                         | <b>HP NANO PRO</b>                                                                                          |
| <b>NAN39</b>                                                                                                                | <b>NLKT3</b>                                                                                                               | <b>UNLK6</b>                                                                                                               | <b>NLKU3</b>                                                                                                | <b>UHPK4</b>                                                                                                | <b>NAN55</b>                                                                                                |
| <b>39'</b>                                                                                                                  | <b>39'</b>                                                                                                                 | <b>49'</b>                                                                                                                 | <b>55'</b>                                                                                                  | <b>55'</b>                                                                                                  | <b>55'</b>                                                                                                  |
| <b>NAN0C</b><br>HydroPower Nano<br>System Complete                                                                          |                                                                                                                            | <b>UHP3C</b><br>Large Tank<br>with Cart                                                                                    |                                                                                                             | <b>UHP3C</b><br>Large Tank<br>with Cart                                                                     | <b>NAN0C</b><br>HydroPower Nano<br>System Complete                                                          |
| <b>CF86G</b> -Carbon 24K<br>Main, 28' / 8.5 m<br><b>CF33G</b> -Carbon 24k<br>Ext., 10.5' / 3.2 m                            | <b>CF86G</b> -Carbon 24K<br>Main, 28' / 8.5 m<br><b>CF33G</b> -Carbon 24k<br>Ext., 10.5' / 3.2 m                           | <b>CF86G</b> -Carbon 24K<br>Main, 28' / 8.5 m<br><b>CF33G</b> -Carbon 24k<br>Ext., 10.5' / 3.2 m (x3)                      | <b>UC67G</b> -HiMod<br>Carbon Main,<br>22' / 7 m<br><b>UC35G</b> -HiMod<br>Carbon Ext.,<br>11' / 3.4 m (x3) | <b>UC67G</b> -HiMod<br>Carbon Main,<br>22' / 7 m<br><b>UC35G</b> -HiMod<br>Carbon Ext.,<br>11' / 3.4 m (x3) | <b>UC67G</b> -HiMod<br>Carbon Main,<br>22' / 7 m<br><b>UC35G</b> -HiMod<br>Carbon Ext.,<br>11' / 3.4 m (x3) |
| <b>NGS15</b><br>S (6" / 15 cm)                                                                                              | <b>NGS15</b><br>S (6" / 15 cm)                                                                                             | <b>NGS15</b><br>S (6" / 15 cm)                                                                                             | <b>NGC30</b><br>M (16.5" / 42 cm)                                                                           | <b>NGC30</b><br>M (16.5" / 42 cm)                                                                           | <b>NGC30</b><br>M (16.5" / 42 cm)                                                                           |
| <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                                                         | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                                                        | <b>NFK28</b><br>Power Brush, flagged<br>11" / 28 cm                                                                        | <b>NUK28</b><br>Power Brush, unflagged<br>11" / 28 cm                                                       | <b>NUK28</b><br>Power Brush, unflagged<br>11" / 28 cm                                                       | <b>NUK28</b><br>Power Brush, unflagged<br>11" / 28 cm                                                       |
| <b>DLH25</b><br>High Performance Hose<br>82' / 25 m                                                                         | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                                       | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                                       | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                        | <b>DLS25</b><br>Duro Flex 82' / 25 m                                                                        | <b>DLH25</b><br>High Performance Hose<br>82' / 25 m                                                         |
| <b>NLHCC</b> : Extension<br>Adapter<br><b>22812</b> : Water Flow<br>Regulator - 10 mm<br><b>NLBAG</b><br>nLITE Carrying Bag | <b>NLHCC</b> : Extension<br>Adapter<br><b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBAG</b><br>nLITE Carrying Bag | <b>NLHCC</b> : Extension<br>Adapter<br><b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBAG</b><br>nLITE Carrying Bag | <b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBA1</b><br>nLite Carrying Bag                         | <b>NLWVI</b> : Water Flow<br>Regulator - 8 mm<br><b>NLBA1</b><br>nLite Carrying Bag                         | <b>22812</b> : Water Flow<br>Regulator - 10 mm<br><b>NLBA1</b><br>nLite Carrying Bag                        |
| 1                                                                                                                           | 1                                                                                                                          | 1                                                                                                                          | 1                                                                                                           | 1                                                                                                           | 1                                                                                                           |

### ACCESSORIES

#### nLITE® EXTENSION ADAPTER



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NLHCC    | 16" / 41 cm | 1         |

- Connects the first telescopic extension pole to the telescopic main pole
- Supports internal water fed hose routing

#### nLITE® CLASSIC TOOL ADAPTER



| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| NLCLA    | 7" / 18 cm | 1         |

- Thread adapter for attaching classic tools to nLITE telescopic poles

#### nLITE® EURO THREAD ADAPTER



| Part No. | Size          | Case Qty. |
|----------|---------------|-----------|
| NLTHR    | 3.5" / 8.9 cm | 1         |

- Thread adapter for attaching Gen 1 brushes to nLITE telescopic poles


#### WATER FLOW REGULATOR



| Part No. | Size  | Case Qty. |
|----------|-------|-----------|
| NLWVI    | 8 mm  | 1         |
| 22812    | 10 mm | 1         |

- Reduce or shut off water flow to brush
- For use with internal or external hoses


## OVERVIEW BRUSHES AND PADS

|                                                                                     |                                        | DETAILS |          |             | FEATURES            |           |             | APPLICATION          |                    |        |       |
|-------------------------------------------------------------------------------------|----------------------------------------|---------|----------|-------------|---------------------|-----------|-------------|----------------------|--------------------|--------|-------|
|                                                                                     |                                        | Weight  | Width    | Bristles    | Center Nozzle Block | Rinse Bar | Swivel Lock | Maintenance Cleaning | Sensitive Surfaces | Solar* |       |
|    | <b>nLITE® RADIUS BRUSH</b>             | NFR28   | 17.6 oz  | 11" / 28 cm | Flagged             | ✓         | ✓           | ✓                    |                    |        | p. 17 |
|                                                                                     |                                        | NFR41   | 24 oz    | 16" / 41 cm |                     |           |             |                      |                    |        |       |
|    | <b>nLITE® POWER BRUSH</b>              | NFK28   | 12.2 oz  | 11" / 28 cm | Flagged             | ✓         | ✓           | ✓                    | ✓                  |        | p. 17 |
|                                                                                     |                                        | NFK41   | 17.21 oz | 16" / 41 cm |                     |           |             |                      |                    |        |       |
|    | <b>nLITE® POWER BRUSH</b>              | NUK28   | 12.56 oz | 11" / 28 cm | Unflagged           | ✓         | ✓           | ✓                    | ✓                  |        | p. 17 |
|                                                                                     |                                        | NUK41   | 17.32 oz | 16" / 41 cm |                     |           |             |                      |                    |        |       |
|    | <b>nLITE® HYBRID BOAR'S HAIR BRUSH</b> | NUH28   | 11.75 oz | 11" / 28 cm | Unflagged           | ✓         | ✓           | ✓                    |                    | ✓      | p. 17 |
|                                                                                     |                                        | NUH41   | 16.23 oz | 16" / 41 cm |                     |           |             |                      |                    |        |       |
|    | <b>nLITE® SOFT BRUSH</b>               | NFS28   | 11.28 oz | 11" / 28 cm | Unflagged           | ✓         | ✓           | ✓                    |                    | ✓      | p. 17 |
|                                                                                     |                                        | NFS41   | 15.52 oz | 16" / 41 cm |                     |           |             |                      |                    |        |       |
|   | <b>nLITE® POWER PAD</b>                | PWH35   | 24 oz    | 14" / 35 cm | Microfiber          | ✓         | ✓           | ✓                    | ✓                  | ✓      | p. 18 |
|                                                                                     |                                        | PWH45   | 28oz     | 18" / 45 cm |                     |           |             |                      |                    |        |       |
|  | <b>nLITE SCRUBBER</b>                  | NLSPH   | 12.8 oz  | 10" / 25 cm | Polyester Fiber     |           | ✓           | ✓                    | ✓                  | ✓      | p. 17 |

\*Always adhere to the manufacturer's guidelines for proper cleaning of solar panels.

## ANGLE ADAPTERS

- Modular angle system easily reaches places that are difficult to access
- Simple, fast, and secure connection for every work situation
- Adjust brush angle in 45° stages
- No twisting when cleaning



### nLITE® ANGLE ADAPTER - Gen 2



| Part No.       | Type   | Size          | Case Qty. |
|----------------|--------|---------------|-----------|
| <b>a</b> NGS15 | Small  | 6" / 15 cm    | 1         |
| <b>b</b> NGS30 | Medium | 16.5" / 42 cm | 1         |
| <b>c</b> NGS45 | Long   | 32" / 82 cm   | 1         |

- For nLITE® Carbon Composite and Carbon 24K telescopic poles

### nLite® ANGLE ADAPTER - Gen 1



| Part No.       | Type   | Size          | Case Qty. |
|----------------|--------|---------------|-----------|
| <b>a</b> NGC15 | Small  | 6" / 15 cm    | 1         |
| <b>b</b> NGC30 | Medium | 16.5" / 42 cm | 1         |
| <b>c</b> NGC45 | Long   | 32" / 82 cm   | 1         |

- For nLite® poles (HiMod & Alu)

## nLITE® Brushes: For pure water cleaning

### INNOVATIVE WATERFED BRUSHES

All **nLITE®** brushes feature:

- Swivel lock function swivels brush 180° (except radius brush)  
- Use in an "S" to clean entire surface (for up to 20')
- Hoses with quick connectors
- Centered water jets for powerful dirt removal
- Powerful rinse bar for optimal cleaning
- Soft touch bumpers



### nLITE® POWER BRUSH - FLAGGED

| Part No. | Bristles | Size        | Case Qty. |
|----------|----------|-------------|-----------|
| NFK28    | flagged  | 11" / 28 cm | 1         |
| NFK41    | flagged  | 16" / 41cm  | 1         |

- Green flagged bristles for maximum cleaning performance and gliding results
- Rinse nozzle strip above the brush and centered water jets powerfully removes dirt



### nLITE® HYBRID BOAR'S HAIR BRUSH

| Part No. | Bristles  | Size        | Case Qty. |
|----------|-----------|-------------|-----------|
| NUH28    | unflagged | 11" / 28 cm | 1         |
| NUH41    | unflagged | 16" / 41 cm | 1         |

- Powerful cleaning performance and easy with less weight than full natural hair brushes
- For maintenance and solar cleaning
- Outer boar bristles - high cleaning power with no streaks
- Inner Power Bristle Technology - very high scrubbing power - easy glide - low water absorption



### nLITE® SOFT BRUSH

| Part No. | Bristles  | Size        | Case Qty. |
|----------|-----------|-------------|-----------|
| NFS28    | unflagged | 11" / 28 cm | 1         |
| NFS41    | unflagged | 16" / 41 cm | 1         |

- Gentle surface cleaning for sensitive surfaces
- Thin, short, dense, highly flexible bristles
- Centered nozzle block for powerful dirt removal



### nLITE® POWER BRUSH - UNFLAGGED

| Part No. | Bristles  | Size        | Case Qty. |
|----------|-----------|-------------|-----------|
| NUK28    | unflagged | 11" / 28 cm | 1         |
| NUK41    | unflagged | 16" / 41 cm | 1         |

- Gray unflagged, stiff bristles for perfect cleaning results and optimized durability
- Rinse bar above the brush and centered water jets powerfully removes dirt



### nLITE® RADIUS BRUSH - FLAGGED

| Part No. | Bristles | Size        | Case Qty. |
|----------|----------|-------------|-----------|
| NFR28    | flagged  | 11" / 28 cm | 1         |
| NFR41    | flagged  | 16" / 41 cm | 1         |

- Green flagged bristles for maximum cleaning performance and gliding results
- Centered water jets for powerful dirt removal



### nLITE® SCRUBBER

| Part No. | Size                                   | Case Qty. |
|----------|----------------------------------------|-----------|
| NLSPH    | 10.6" x 5.5" x 4.7"<br>27 x 14 x 12 cm | 1         |
| OPS20    | Replacement 10" Scrub Pads             | 10        |

- Effortlessly removes tough dirt with pure water and a scrubbing pad
- Ideal for stubborn residues like bird droppings and heavy debris
- Compatible with nLITE 24K and Carbon Composite poles, recommended for use up to 20 ft. height
- NLSPH includes 5 abrasive pads
- OPS20: Replacement abrasive pads for nLITE® Scrubber



Quality Tools for Smart Cleaning™

# nLITE® POWERPAD

## nLITE® PowerPad: For faster and easier pure water cleaning

### nLITE® POWERPAD

The innovative **nLITE® PowerPad** is the ultimate alternative to waterfed brushes for cleaning glass surfaces. This intuitive design makes cleaning with pure water faster and more effective. The PowerPad is ideal for first floor cleaning. It is perfect for pure water professionals and those new to pure water technology.

### INNOVATIVE MICROFIBER CLEANING PAD


- **Faster dirt removal**, as the microfiber cleaning pad covers more surface area compared to a traditional bristle brush.
- **Self-cleaning feature** via continuous pure water rinsing from the integrated rinse bar
- **Highly effective microfiber technology** for streak-free surface cleaning
- **Glides easily** over glass surfaces

**360° MOVEMENT AND FULL CONTACT ON GLASS**


**FULLY COMPATIBLE**

**POWERFUL RINSING**

360°



Fully compatible with all nLITE® waterfed and OptiLoc telescopic poles



Use as a hand tool



**DURABLE MICROFIBER**

| nLITE® POWERPAD |             |           |
|-----------------|-------------|-----------|
| Part No.        | Size        | Case Qty. |
| PWH35           | 14" / 35 cm | 1         |
| PWH45           | 18" / 45 cm | 1         |

- Handle & Microfiber PowerPad

| nLITE® MICROFIBER POWERPAD |             |           |
|----------------------------|-------------|-----------|
| Part No.                   | Size        | Case Qty. |
| PWP35                      | 14" / 35 cm | 5         |
| PWP45                      | 18" / 45 cm | 5         |

# ErgoTec® cleaning gloves: the ultimate choice for professionals

## FEEL THE DIFFERENCE

ErgoTec gloves provide maximum protection with their innovative three-layer design and deliver unmatched comfort for multi-tasking while cleaning.

The waterproof and breathable membrane keeps your hands dry and protected from cleaning solutions, while the merino wool lining offers a soft, comfortable feel. With flexible material that adapts perfectly to your hand's shape, you'll enjoy a fit that's just right for any job.

### EXCELLENT GRIP

- Non-slip coating and rubberized reinforcements ensure a secure grip every time



### MEMBRANE TECHNOLOGY

- Waterproof and breathable material keeps your hands dry and safe

### TOUCHSCREEN FUNCTION

- Easy use of smart phones




### MERINO WOOL LINING

- Liner provides comfort and keeps your hands warm while staying dry from sweat



### STOPS MOISTURE & WIND

### MOISTURE ESCAPES



### MEMBRANE

### INNER LINING

### ErgoTec® GLOVES

| Part No. | Size    | Hand Circumference | Case Qty. |
|----------|---------|--------------------|-----------|
| GLON2    | Medium  | 8" / 20-21 cm      | 1 Pair    |
| GLON3    | Large   | 9" / 22-23 cm      | 1 Pair    |
| GLON4    | X-Large | 9.5" / 24-25 cm    | 1 Pair    |

### MATERIAL:

**OUTER:** 90% nylon, 10% spandex

**INSIDE:** 35% merino wool, 35% polyester, 26% nylon, 4% spandex



Quality Tools for Smart Cleaning™

# TRADITIONAL WINDOW CLEANING



## FEATURED PRODUCT

pg. 25

### VisaVersa® Pro COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| VV350    | 14" / 35 cm | 8         |

- 2 in 1 window tool



**UNGER** products are expertly designed for the Professional Window Cleaning Industry, prioritizing innovation, ergonomics, and safety. Our range includes traditional handheld tools and accessories built for durability and compatibility with **UNGER** telescopic poles, enabling safe cleaning at heights of up to 55' / 7 m.


## LEARN MORE HERE



**INNOVATIVE, EFFICIENT,  
& ERGONOMICAL**

### OVERVIEW WASHERS

Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks.



### T-BARS

|                       | HANDLE                     |                      | SWIVEL FUNCTION |                    | T-BAR    |                      |             |       |
|-----------------------|----------------------------|----------------------|-----------------|--------------------|----------|----------------------|-------------|-------|
|                       | Material                   | Fits to Locking Cone | Swivel Head     | Tension adjustment | Material | Available Sizes      | Function    |       |
| <b>ErgoTec® NINJA</b> | Plastic with rubber insert |                      | ✓               | Screw              | Aluminum | 14"-30" / 35 - 76 cm | Swivel head | p. 22 |
| <b>ErgoTec®</b>       | Plastic with rubber insert |                      | -               | -                  | Plastic  | 10"-18" / 25 - 45 cm | Water wells | p. 22 |
| <b>Swivel</b>         | Plastic                    |                      | ✓               | Knob               | Aluminum | 14"-18" / 35 - 45 cm | Swivel head | p. 22 |

### SLEEVES

|                       | MATERIAL                                                     | FEATURES                                            | AVAILABLE SIZES      | SCRUB PAD |       |
|-----------------------|--------------------------------------------------------------|-----------------------------------------------------|----------------------|-----------|-------|
| <b>ErgoTec® NINJA</b> | polyamide*<br>polyacrylic**<br>polyethylene**<br>polyamide** | Superb water absorption and scrubbing action        | 10"-30" / 25 - 75 cm | 2 x       | p. 23 |
| <b>Black</b>          | polyester*/**                                                | 20% higher water absorption                         | 14"-18" / 35 - 45 cm | 1 x       | p. 23 |
| <b>Micro Strip</b>    | polyamide*<br>polyethylene**                                 | High water retention - up to 6 times its own weight | 10"-22" / 25 - 55 cm | 1 x       | p. 23 |
| <b>Monsoon</b>        | polyamide*<br>polyacrylic**<br>polyethylene**<br>polyamide** | High water retention                                | 10"-30" / 25 - 75 cm | 1 x       | p. 23 |
| <b>Original</b>       | polyethylene*<br>polyacrylic**                               | Good cleaning power                                 | 10"-22" / 25 - 55 cm | 1 x       | p. 23 |
| <b>Pad</b>            | polyethylene*<br>polyacrylic**<br>polyethylene**             | Removes tough dirt                                  | 14"-18" / 35 - 45 cm | -         | p. 23 |

\* Support material


\*\* Fibers

### TOOL CONNECTIONS



#### PRESS ON

Special grooves on the cone ensure a secure fit for the tools




#### SNAP ON

These tools snap directly onto Unger telescopic poles



#### SCREW ON

These tools screw onto the ACME thread of an Unger cone



#### LOCK ON

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone

# WASHERS & T-BARS



**ErgoTec®  
NINJA**

**Swivel function:** Perfect for pole work and hard-to-reach-areas

## ErgoTec® NINJA T-BAR

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NI350    | 14" / 35 cm | 5         |
| NI450    | 18" / 45 cm | 5         |
| NI550    | 22" / 55 cm | 5         |

### Durable, lightweight hard anodized aluminum T-Bar

- Ergonomic two-component handle with 180° swivel and lock function
- Superior performance without causing excessive strain on arms and shoulders




## ErgoTec® T-BAR

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EH250    | 10" / 25 cm | 10        |
| EH350    | 14" / 35 cm | 10        |
| EH450    | 18" / 45 cm | 10        |

### Durable and ergonomic T-Bar

- Water wells for increased water retention
- Two-component handle provides less strain and more control



## Swivel Strip T-BAR

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SV350    | 14" / 35 cm | 5         |
| SV450    | 18" / 45 cm | 5         |

### Lightweight aluminum T-bar with adjustable head

- Angle adjustable to 7 positions with set screw
- Finger grooves on the handle for a secure grip



## ErgoTec® NINJA WASHER COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NA450    | 18" / 45 cm | 5         |

### Complete with NINJA Washer T-Bar and highly absorbent sleeve

- Superior water retention and ultimate cleaning performance
- Strong yet lightweight hard anodized aluminum T-Bar with 180° swivel and lock function
- Built in microfiber scrubbing bristles and two abrasive side pads provide extra scrubbing power
- Wash Cycles: 500



## The Original StripWasher® COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| WC250    | 10" / 25 cm | 10        |
| WC350    | 14" / 35 cm | 10        |
| WC450    | 18" / 45 cm | 10        |

### Complete washer with blended fabric sleeve

- Blended fabric sleeve with good cleaning power
- Lightweight T-Bar with water wells for high water retention, reducing the number of bucket drips
- Reinforced zigzag stitched ends on sleeve ensures long life
- Wash Cycles: 500



## Micro StripWasher® COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NC350    | 14" / 35 cm | 10        |
| NC450    | 18" / 45 cm | 10        |

### Complete washer with highly absorbent sleeve

- Superior cleaning power microfiber sleeve absorbs up to six times its weight
- Lightweight plastic T-Bar with water wells for high water retention, reducing number of bucket dips
- Wash Cycles: 500



## Monsoon Plus StripWasher® COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| MC350    | 14" / 35 cm | 10        |
| MC450    | 18" / 45 cm | 10        |

### Complete washer with blended, extra long fibers sleeve

- Excellent cleaning power fabric sleeve holds large amounts of water
- Lightweight T-Bar with water wells for high water retention, reducing the number of bucket drips
- Reinforced zigzag stitched ends on sleeve ensures long life
- Wash Cycles: 500



### ErgoTec® NINJA SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NJ250    | 10" / 25 cm | 10        |
| NJ350    | 14" / 35 cm | 10        |
| NJ450    | 18" / 45 cm | 10        |
| NJ550    | 22" / 55 cm | 10        |
| NJ750    | 30" / 75 cm | 5         |

#### Blended fabric sleeve with 2 abrasive side pads

- Extra long fibers with built in microfiber scrubbing bristles
- Abrasive pad on each side providing extra scrubbing power to remove stubborn dirt
- High water retention
- Wash Cycles: 500



### Black Series™ SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| BS350    | 14" / 35 cm | 10        |
| BS450    | 18" / 45 cm | 10        |

#### Power microfiber sleeve with scrubbing pad for ultimate cleaning power

- 20% higher water absorption than standard microfiber sleeves
- Wash Cycles: 500



### Micro StripWasher® SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NS250    | 10" / 25 cm | 10        |
| NS350    | 14" / 35 cm | 10        |
| NS450    | 18" / 45 cm | 10        |

#### Absorbent microfiber sleeve with scrub pad

- Superior cleaning power microfiber sleeve absorb six times its weight
- Side scrub pad provides extra cleaning power
- Wash Cycles: 500



### The Pad StripWasher® SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| RS350    | 14" / 35 cm | 10        |
| RS450    | 18" / 45 cm | 10        |

#### Standard washer sleeve with plush, woven synthetic fabric on front and textured pad strip on back with hook & loop fastening

- Plush, woven synthetic fabric with reinforced zigzag stitching for extended life
- Rough-textured, non-abrasive nylon cleaning pad removes tough dirt
- Wash Cycles: 500



### The Original StripWasher® SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| WS250    | 10" / 25 cm | 10        |
| WS350    | 14" / 35 cm | 10        |
| WS450    | 18" / 45 cm | 10        |

#### Blended fabric sleeve with good cleaning power

- Standard washer sleeve made with plush, woven synthetic fabric
- Reinforced zigzag stitched ends ensure long life
- Wash Cycles: 500



### Monsoon Plus StripWasher® SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| MS250    | 10" / 25 cm | 10        |
| MS350    | 14" / 35 cm | 10        |
| MS450    | 18" / 45 cm | 10        |
| MS550    | 22" / 55 cm | 10        |

#### Blended fabric sleeve with extra long fibers, scrub pad and hook & loop fastening


- Complete washer with blended, extra long fibers sleeve
- Excellent cleaning power fabric sleeve holds large amounts of water
- Side scrub pad provides extra cleaning power
- Reinforced zigzag stitched ends on sleeve ensures long life
- Wash Cycles: 500

## TOOL CONNECTIONS



#### PRESS ON

Special grooves on the cone ensure a secure fit for the tools




#### SNAP ON

These tools snap directly onto Unger telescopic poles



#### SCREW ON

These tools screw onto the ACME thread of an Unger cone



#### LOCK ON

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone

# WINDOW SQUEEGEES


Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks.

## OVERVIEW SQUEEGEES

\* Soft and Hard Rubber are interchangeable and available to order separately.

|                                                                                                             | HANDLE                 |                                                                                     | SWIVEL                                             | CHANNEL                         |                    |                 | RUBBER*     |      |      |                                        |       |
|-------------------------------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------|--------------------|-----------------|-------------|------|------|----------------------------------------|-------|
|                                                                                                             | Material               | Fits to Locking Cone                                                                | Tension adjustment                                 | Fitting                         | Sizes              | Material        | Type        | Soft | Hard | Fitting                                |       |
|  <b>ErgoTec® NINJA</b>     | 2c                     |    | Metal screw needs coin or screwdriver              | TriLoc: clip press & release    | 12"-18" 30-45 cm   | T6 Aluminum     | Molded      | ✓    | -    | Side Clips on Ninja Channel            | p. 26 |
|  <b>ErgoTec® Complete</b>  | 2c                     |    | -                                                  | S-Spring: press & release       | 6"-18" 15-45 cm    | Stainless Steel | Molded      | ✓    | -    | Press S-Spring                         | p. 26 |
|  <b>ErgoTec® SwivelLoc</b> | 2c                     |    | Plastic screw turn 0° position fixable with button | 0° screwed plate 30° S-Spring   | Only handle 0°/30° | Stainless Steel | Only handle | -    | -    | 0°: screw off plate 30° press S-Spring | p. 27 |
|  <b>Pro</b>                | Metal + Rubber sleeve  |    | -                                                  | Clip lock easy release          | 10"-18" 25-45 cm   | Stainless Steel | Molded      | ✓    | -    | Open clip                              | p. 26 |
|  <b>Visa Versa® Pro</b>   | Plastic Finger grooves |   | -                                                  | S-Spring: press & release       | 10"-18" 25-45 cm   | Stainless Steel | Molded      | ✓    | -    | Press S-Spring                         | p. 25 |
|  <b>Golden Clip®</b>     | Brass                  |  | -                                                  | Screwed Plate needs screwdriver | 10"-18" 25-45 cm   | Brass           | Extruded    | ✓    | -    | Screw off plate                        | p. 26 |
|  <b>UniTec Lite</b>      | Plastic                |  | -                                                  |                                 | 12" 30 cm          | Aluminum        | Extruded    | ✓    | -    | Fixed to channel                       | p. 26 |

## SQUEEGEE ACCESSORIES



### PLASTIC CLIPS AND CASE

| Part No. | Content                | Case Qty. |
|----------|------------------------|-----------|
| PCLIP    | 40 Clips per Dispenser | 10        |

- Increases strength of rubber edge
- Clips easily separate from dispenser
- Solid plastic clip fits between channel & squeegee rubber
- Increases stability, offering sharper end strokes

### ErgoTec™ SOFT RUBBER GROSS PACKS

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| RG300    | 12" / 30 cm | 144       |
| RG350    | 14" / 35 cm | 144       |
| RG400    | 16" / 40 cm | 144       |
| RG450    | 18" / 45 cm | 144       |
| RG550    | 22" / 55 cm | 144       |
| RG920    | 36" / 92 cm | 144       |

- Ideal for cooler temperatures
- Conforms to uneven surfaces
- Sturdy storage box is shrink-wrapped for protection

## VisaVersa® Pro: The versatile tool for professional results

The VisaVersa® Pro combines a window squeegee and a washer in one cleaning tool.

Save time using a 2-in-1 tool that eliminates the need to switch cleaning attachments. Reduce costs with a single product featuring a machine-washable pad, and work comfortably with its lightweight, ergonomic design.

### 2 IN 1 COMBINATION TOOL



Ideal for use with telescopic poles



### VisaVersa® Pro COMPLETE


| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| VV250    | 10" / 25 cm | 8         |
| VV350    | 14" / 35 cm | 8         |
| VV450    | 18" / 45 cm | 8         |

### 3 MODES, 2 TOOLS, 1 PROFESSIONAL RESULT

**FLIP:** The most common use of VisaVersa® Pro, wash, flip and squeegee



**SPLIT:** Squeegee can be quickly removed, separating into two tools allowing you to use them individually



**FOLLOW:** Experienced users can use the VisaVersa® Pro in one movement, wash and squeegee at the same time



### VisaVersa® Pro MICROFIBER PAD

| Part No. | Info       | Size        | Case Qty. |
|----------|------------|-------------|-----------|
| VEP25    | Microfiber | 10" / 25 cm | 10        |
| VEP35    | Microfiber | 14" / 35 cm | 10        |
| VEP45    | Microfiber | 18" / 45 cm | 10        |

- Premium microfiber with high water absorption
- Hook and loop attachment
- Wash Cycles: 300

# SQUEEGEES



The center position can be locked by pressing the lock button

**ErgoTec® NINJA**



## ErgoTec® NINJA SQUEEGEE COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EN300    | 12" / 30 cm | 5         |
| EN450    | 18" / 45 cm | 5         |

### The most advanced squeegee ever built

- Swivel and TriLoc safety function
- Extruded Aircraft Aluminum T6 Channel is lightweight and will not bend
- Center position can be locked by pressing the Lock Button
- 40° Head Angle



## ErgoTec® SQUEEGEE COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| ES150    | 6" / 15 cm  | 10        |
| ES250    | 10" / 25 cm | 10        |
| ES300    | 12" / 30 cm | 10        |
| ES350    | 14" / 35 cm | 10        |
| ES400    | 16" / 40 cm | 10        |
| ES450    | 18" / 45 cm | 10        |

### Ergonomic, two-component handle

- Complete with "S" Channel and ErgoTec Soft Rubber
- Non-slip grip ideal for all weather conditions
- Quick-release "S" spring for fast rubber change




## AUTO SQUEEGEE

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| AUSQ0    | 8" / 20 cm | 20        |

### Squeegee and scrubber in one

- Heavy-duty mesh scrubber for the hard-to-remove buildup on windows
- 21" / 53 cm plastic handle for extended reach



## GoldenClip® BRASS SQUEEGEE COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| GS250    | 10" / 25 cm | 10        |
| GS300    | 12" / 30 cm | 10        |
| GS350    | 14" / 35 cm | 10        |
| GS400    | 16" / 40 cm | 10        |
| GS450    | 18" / 45 cm | 10        |

### Complete with handle, channel, ErgoTec soft rubber, and plastic end clips

- Classic brass squeegee with screw lock to firmly hold channel and rubber



## PRO STAINLESS STEEL SQUEEGEE COMPLETE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| PR250    | 10" / 25 cm | 10        |
| PR300    | 12" / 30 cm | 10        |
| PR350    | 14" / 35 cm | 10        |
| PR400    | 16" / 40 cm | 10        |
| PR450    | 18" / 45 cm | 10        |

### Stainless steel squeegee with ergonomic rubber grip

- Complete with "S" Channel and ErgoTec Soft Rubber
- Non-slip rubber grip ideal for all weather conditions
- Features a fast lock for quick channel changes



## UniTec™ LITE SQUEEGEE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| US300    | 12" / 30 cm | 10        |

### Ultra-light plastic squeegee for glass or flat surfaces in household areas

- Lightweight and comfortable to hold
- For glass or smooth surfaces

# TRADITIONAL WINDOW CLEANING

HANDLES, CHANNELS & RUBBER

**ERGOtec®**



## ErgoTec® SQUEEGEE HANDLE

Part No.

Case Qty.

ETG00

10

Ergonomic, two-component handle has a comfortable, non-slip rubber grip that is ideal for all weather conditions

- Textured thumb plate for easy adjustment and channel change
- Simple, quick-release "S" spring for fast rubber change



## ErgoTec® XL HANDLE

Part No.


Case Qty.

ETX00

10

Extra long, two-component ergonomically designed handle

- Textured thumb plate for easy adjustment and channel change
- Handle is almost a full inch longer for large hands
- Quick-release "S" spring for fast rubber change



## ErgoTec® NINJA SQUEEGEE HANDLE

Part No.

Degree

Case Qty.

EN000

40°

5

E3000

30°

5

Ergonomic two-component handle with a 40° or 30° head angle, perfect for use with pole

- Swivel and TriLoc safety function for secure channel hold
- Center position can be locked by press of a button
- Use with Ninja Channels



## ErgoTec® SwivelLoc HANDLE

Part No.

Size

Case Qty.

LA000

30°

5

LS000

Straight 0°

5

Handle comes in two models, both with swivel action and ergonomic grip

- 0° for cleaning low windows. 30° head angle for working above frames or ledges
- 0° – Brass or Stainless Steel "S" Channel, 30° – "S" Channel only



## GoldenClip® BRASS HANDLE

Part No.

Case Qty.

GS000

10

Classic solid brass handle with screw locks

- Use with Brass Channel or "S" Channel



## PRO STAINLESS STEEL HANDLE

Part No.

Case Qty.

PR000

10

Stainless steel handle with ergonomic rubber grip and fast lock for quick channel changes

- Use with "S" Channel or "S" Channel Plus



# CHANNELS & RUBBER

## ErgoTec® NINJA ALUMINUM CHANNELS



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| AC200    | 8" / 20 cm  | 5         |
| AC250    | 10" / 25 cm | 5         |
| AC300    | 12" / 30 cm | 5         |
| AC350    | 14" / 35 cm | 5         |
| AC450    | 18" / 45 cm | 5         |
| AC550    | 22" / 55 cm | 5         |

Channel is constructed from aircraft-grade aluminum; will not break or bend

- Features laser-etched star markings to make finding the center position easy when attaching to handle
- Flexible rubber positioning options allow for a lower position (for shorter channels) and a higher position (for longer channels)
- Comes complete with revolutionary soft rubber "SmartClip" end clips that eliminate the need for separate brass or plastic clips

## "S" CHANNEL



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NE150    | 6" / 15 cm  | 10        |
| NE250    | 10" / 25 cm | 10        |
| NE300    | 12" / 30 cm | 10        |
| NE350    | 14" / 35 cm | 10        |

Stainless steel "S" Channel complete with ErgoTec® Soft Replacement Rubber

- Fits on ErgoTec and Pro Stainless Steel handles

## BRASS CHANNEL FOR GoldenClip®



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| GC150    | 6" / 15 cm  | 10        |
| GC250    | 10" / 25 cm | 10        |
| GC300    | 12" / 30 cm | 10        |
| GC350    | 14" / 35 cm | 10        |
| GC400    | 16" / 40 cm | 10        |
| GC450    | 18" / 45 cm | 10        |
| GC550    | 22" / 55 cm | 10        |

Sturdy brass channel complete with ErgoTec® Soft Rubber

- Includes plastic end clips

## S-CHANNEL PLUS



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| UC450    | 18" / 45 cm | 10        |

Stainless Steel channel complete with ErgoTec® Soft Replacement Rubber

- Curved ends support the rubber at the edges for improved cleaning close to frame
- Fits on ErgoTec® and Pro Stainless Steel handles

## RUBBER INFO



### SOFT

- Shore hardness: 52 ± 3
- Ideal for colder temperatures
- Adjusts better to uneven surfaces

### HARD

- Shore hardness: 60 ± 3
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces



## ErgoTec™ SOFT RUBBER - 12PK

| Part No. | Size         | Case Qty. |
|----------|--------------|-----------|
| RT150    | 6" / 15 cm   | 12        |
| RT250    | 10" / 25 cm  | 12        |
| RT300    | 12" / 30 cm  | 12        |
| RT350    | 14" / 35 cm  | 12        |
| RT400    | 16" / 40 cm  | 12        |
| RT450    | 18" / 45 cm  | 12        |
| RT550    | 22" / 55 cm  | 12        |
| RT920    | 36" / 92 cm  | 12        |
| RT990    | 42" / 105 cm | 12        |

Ideal for cooler temperatures

- Conforms to uneven surfaces
- Better glide with streak-free performance

## HARD REPLACEMENT RUBBER



| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| RG35H    | 14" / 35 cm | 144       |
| RG40H    | 16" / 40 cm | 144       |
| RG45H    | 18" / 45 cm | 144       |
| RG55H    | 22" / 55 cm | 144       |
| RG92H    | 36" / 92 cm | 144       |

Ideal for warmer temperatures

- Optimum liquid removal on large, flat surfaces
- Coated with talcum to ensure freshness

## POWER SQUEEGEE RUBBER




| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| RR35G    | 14" / 35 cm | 10        |
| RR45G    | 18" / 45 cm | 10        |

Squeegee rubber with outstanding gliding ability

- Streak-free results
- Reliable, long-lasting
- Designed for year round use

### OVERVIEW GLASS SCRAPERS

| GLASS SCRAPER<br>(2-sided sharp blade)                                                                                      | BLADE MATERIAL                             | BLADE SIZE          | HANDLE                              | FITS ON SAFETY CONE                                                               | SWIVEL FUNCTION | BLADE CHANGE | PROTECTION MECHANISM |       |
|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------|-------------------------------------|-----------------------------------------------------------------------------------|-----------------|--------------|----------------------|-------|
|  <b>ErgoTec® NINJA</b><br>(EN100, EN150)   | Stainless steel<br><i>(rust resistant)</i> | 4" - 6"<br>10-15 cm | 2c-material                         |  | ✓               | ✓            | Cap                  | p. 30 |
|  <b>ErgoTec®</b><br>(EG100, EG150)         | Carbon steel                               | 4" - 6"<br>10-15 cm | 2c-material                         |  | -               | ✓            | Cap                  | p. 30 |
|  <b>PROTRIM</b><br>(TX100)                 | Carbon steel                               | 4"<br>10 cm         | Plastic                             | -                                                                                 | -               | ✓            | retractable blade    | p. 32 |
|  <b>ErgoTec® SAFETY SCRAPER</b><br>(SR040) | Carbon steel                               | 1 1/2"<br>4 cm      | Stainless steel with rubber coating | -                                                                                 | -               | ✓            | retractable blade    | p. 31 |
|  <b>SAFETY SCRAPER</b><br>(SR500)          | Carbon steel                               | 1 1/2"<br>4 cm      | Stainless steel                     | -                                                                                 | -               | ✓            | retractable blade    | p. 31 |
|  <b>MINI SCRAPER</b><br>(STMIN)            | Carbon steel                               | 1 1/2"<br>4 cm      | Plastic                             | -                                                                                 | -               | ✓            | Turn blade           | p. 32 |

| GLASS SCRAPER BLADES<br>(2-sided sharp)                                                                                                                      | MATERIAL                                   | SIZE          | COMPATIBLE WITH SCRAPER |          |         |                               |                 |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------|-------------------------|----------|---------|-------------------------------|-----------------|-------|
|                                                                                                                                                              |                                            |               | NINJA                   | ERGOTEC® | PROTRIM | ERGOTEC/<br>SAFETY<br>SCRAPER | MINI<br>SCRAPER |       |
|  <b>TRIM/GLASS SCRAPER<br/>REPLACEMENT BLADES</b><br>(TR100, TR150)       | Coated<br>carbon steel                     | 6" / 15 cm    | ✓                       | ✓        | -       | -                             | -               | p. 32 |
|                                                                                                                                                              |                                            | 4" / 10 cm    | ✓                       | ✓        | ✓       | -                             | -               | p. 32 |
|  <b>TRIM/GLASS<br/>SCRAPER BLADES</b><br>(SRBDB, SRB10, SRB30)            | Carbon steel                               | 1 1/2" / 4 cm | -                       | -        | -       | ✓                             | ✓               | p. 32 |
|                                                                                                                                                              |                                            | 1 1/2" / 4 cm | -                       | -        | -       | ✓                             | ✓               | p. 32 |
|                                                                                                                                                              |                                            | 1 1/2" / 4 cm | -                       | -        | -       | ✓                             | ✓               | p. 32 |
|  <b>ErgoTec® NINJA PREMIUM<br/>GLASS SCRAPER BLADES</b><br>(ENB10, ENB15) | Stainless steel<br><i>(rust resistant)</i> | 6" / 15 cm    | ✓                       | ✓        | -       | -                             | -               | p. 30 |
|                                                                                                                                                              |                                            | 4" / 10 cm    | ✓                       | ✓        | ✓       | -                             | -               | p. 30 |

### OVERVIEW SURFACE SCRAPERS

| SURFACE SCRAPERS<br>(1-sided sharp blade)                                                                               | BLADE MATERIAL                             | BLADE SIZE | HANDLE                                      | MORE ANGLED METAL HEAD | BLADE CHANGE | PROTECTION MECHANISM |       |
|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------------|---------------------------------------------|------------------------|--------------|----------------------|-------|
|  <b>ErgoTec® SCRAPER</b><br>(SH00C)  | Stainless steel<br><i>(rust resistant)</i> | 4" / 10 cm | 2c-material                                 | ✓                      | ✓            | Cap                  | p. 30 |
|  <b>The Brute SCRAPER</b><br>(SH25C) | Stainless steel<br><i>(rust resistant)</i> | 4" / 10 cm | Long handle<br>(12" / 25 cm)<br>2c-material | ✓                      | ✓            | Cap                  | p. 31 |
|  <b>The Maxi SCRAPER</b><br>(STMAX)  | Stainless steel<br><i>(rust resistant)</i> | 4" / 10 cm | 2c-material                                 | -                      | ✓            | Cap                  | p. 31 |

| SURFACE SCRAPERS BLADES<br>(1-sided sharp)                                                                                                             | MATERIAL                                   | SIZE       | COMPATIBLE WITH SCRAPER |                   |              |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------------|-------------------------|-------------------|--------------|-------|
|                                                                                                                                                        |                                            |            | ERGOTEC                 | THE BRUTE SCRAPER | MAXI SCRAPER |       |
|  <b>REPLACEMENT<br/>BLADES -<br/>STAINLESS STEEL</b><br>(RB100)     | Stainless steel<br><i>(rust resistant)</i> | 4" / 10 cm | ✓                       | ✓                 | ✓            | p. 32 |
|  <b>REPLACEMENT<br/>BLADES -<br/>CARBON STEEL</b><br>(RB10C, RB30C) | Carbon steel                               | 4" / 10 cm | ✓                       | ✓                 | ✓            | p. 32 |

# SCRAPERS & BLADES



Switch the angle of the scraper head from 0 to 30° at the touch of a button!



Safer and easier blade change – push slider release lock to access and change blade



Available in 2 sizes:  
4" / 10 cm    6" / 15 cm

## ErgoTec® NINJA SCRAPER

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| EN100    | 4" / 10 cm | 5         |
| EN150    | 6" / 15 cm | 5         |

- The world's first 2-in-1 scraper for professional window cleaning
- The angle of the scraper head can be switched from straight to 30°
- Safer and easier blade change
- Fits securely to poles with Locking Cone
- Includes Unger Premium Glass Scraper Blade Stainless Steel



Practical Holster & Scraper Combo

## ErgoTec® NINJA SCRAPER COMBO

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| ENH15    | 6" / 15 cm | 5         |

- Clean glass and flat surfaces quickly
- Practical holster for the belt

## ErgoTec® NINJA PREMIUM GLASS SCRAPER BLADES

| Part No. | Size       | Blade Content | Case Qty. |
|----------|------------|---------------|-----------|
| ENB10    | 4" / 10 cm | 25            | 10        |
| ENB15    | 6" / 15 cm | 25            | 10        |

- Dual-sided sharp blades made from rust resistant 440A grade stainless steel provide excellent edge retention and ensure blades stay sharp
- Each blade is honed to a precise edge, creating a perfect cutting angle that is razor sharp and consistent
- Compatible with most 4" / 10 cm and 6" / 15 cm scrapers
- 25 blades per case

## ErgoTec® NINJA SCRAPER HOLSTER

| Part No. | Case Qty. |
|----------|-----------|
| HT150    | 5         |

- Lock the Scraper in the Holster in seconds
- The Easy Clip secures the handle in place and prevents it from falling out
- Durable solid plastic holster with stainless steel insert withstands frequent contact with sharp blade and protects the worker from cuts to legs and hands
- Holster is compatible with most 4" – 6" (10 - 15 cm) scrapers on the market, flat or angled

## ErgoTec® SCRAPER

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| SH00C    | 4" / 10 cm | 10        |

- Comfortable ergonomic scraper with non-slip bi-component rubber grip
- Reversible carbon steel blade with razor edge for scraping paint and tape, and blunt edge for cement or stucco
- Comes with protective cap for blade



ErgoTec®  
GLASS  
SCRAPER - 4"

ErgoTec®  
GLASS  
SCRAPER - 6"

## ErgoTec® GLASS SCRAPER

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| EG100    | 4" / 10 cm | 10        |
| EG150    | 6" / 15 cm | 10        |

- Complete with lightweight ergonomic handle and protective cap
- Reversible blade has two razor edges ideal for cleaning large surfaces and scraping off paint, stickers, etc.



### ErgoTec® SAFETY SCRAPER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SR040    | 1.5" / 4 cm | 50        |

- Unique locking system eliminates blades from sliding out while working
- Rubber grip on SR040 prevents scraper from slipping in hand



### SAFETY SCRAPER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SR500    | 1.5" / 4 cm | 50        |

- Unique locking system eliminates blades from sliding out while working
- SR500 made with stainless steel



### The Brute™ SCRAPER

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| SH25C    | 4" / 10 cm | 10        |


- Rugged surface scraper with ergonomic grip
- Strong 12" / 30.5 cm handle for extra cleaning power
- Reversible carbon steel blade with razor edge for scraping paint and tape, and blunt edge for cement and stucco
- Comes with protective cap for blade



### The Maxi™ SCRAPER

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| STMAX    | 4" / 10 cm | 10        |

- Lightweight, ergonomic surface scraper offers simple blade change
- Ergonomic design with rubber-coated handle
- Easy blade change. Protection cap ensures safety
- Features a reversible razor/blunt-edge blade



### → EXPERT TIPS

- Check if glass is scratch-resistant and suitable for scraper use
- Unsuitable for use on plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section if possible
- Before starting work, check the glass for preexisting damage and report it, if necessary
- Replace or reverse damaged blades
- The surface to be scraped should always be wet
- It is best to use a release agent
- Always scrape in one direction! Never pull the scraper back – scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

### ATTENTION!

**UNGER** blades are razor-sharp.  
Always handle with greatest care.



Quality Tools for Smart Cleaning™


# SCRAPERS & BLADES



## PRO TRIM 10

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| TX100    | 4" / 10 cm | 10        |

- Compact and easy to handle
- Integrated safety guard for blade protection
- Scraper opens with a push of a button for quick blade replacement and cleaning
- 10 per case



## TRIM/GLASS SCRAPER REPLACEMENT BLADES

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| TR100    | 4" / 10 cm | 10        |
| TR150    | 6" / 10 cm | 10        |

- Rust-resistant, coated carbon steel blades with a reversible razor edge
- Handy dispenser protects blades
- Individually wrapped in wax paper to prevent rusting
- Compatible with TX100, TM100, EG100/EG150, EN100/EN150
- Case Packaging - 250 blades (10 dispensers with 25 blades each)



## REPLACEMENT BLADES-STAINLESS STEEL

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SRBDB    | 1.5" / 4 cm | 48        |
| SRB10    | 1.5" / 4 cm | 1         |
| SRB30    | 1.5" / 4 cm | 10        |

- Razor sharp No. 9 (11/2") standard blades
- SRBDB: Compact display box for general merchandising areas
- SRB10/30: Packed in a convenient reclosable plastic tray so blades are kept safe and dry to prevent rusting
- Compatible with SR040, SR500, STMIN
- SRBDB - Display Box: 480 blades (48 dispensers with 10 blades each)
- SRB10 - Tray: 100 loose blades
- SRB30 - Tray: 1,000 blades (10 trays with 100 blades each)



## MINI SCRAPER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| STMIN    | 1.5" / 4 cm | 100       |

- Comes packaged in a storage bucket
- Easily snaps open for quick blade replacement
- 100 per case



## REPLACEMENT BLADES-STAINLESS STEEL

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| RB100    | 4" / 10 cm | 10        |

- Reversible sharp/blunt edge stainless steel blades
- Sharp edge for scraping off paint and stickers, and blunt side for removing cement and stucco
- Compact dispenser safely stores new and used blades
- Compatible with SH00C, SH25C, STMAX
- Display Box: 100 blades (10 dispensers of 10 blades each)



## REPLACEMENT BLADES-CARBON STEEL

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| RB10C    | 4" / 10 cm | 10        |
| RB30C    | 4" / 10 cm | 30        |

- Reversible sharp/blunt edge carbon steel blades
- Sharp edge for scraping off paint and stickers, and blunt side for removing cement and stucco
- Compact dispenser safely stores new and used blades
- Compatible with SH00C, SH25C, STMAX
- RB10C - Display Box: 100 blades (10 dispensers with 10 blades each)
- RB30C - Box: 300 blades (30 dispensers with 10 blades each)

### OVERVIEW WINDOW CLEANING KITS

**UNGER Window Cleaning Kits** provide window cleaning professionals with a complete solution for optimal cleaning efficiency. Equipped with high-quality tools necessary for outdoor cleaning jobs up to 8 ft, they are designed to tackle all types of glass surfaces.



| WINDOW CLEANING KITS                                                  | Part No. | STARTER PRO KIT | ADVANCED KIT | PROFESSIONAL KIT |
|-----------------------------------------------------------------------|----------|-----------------|--------------|------------------|
| Part No. (KITS)                                                       |          | PWK00           | TRS00        | ETSET            |
| ErgoTec T-Bar – 14" / 35 cm                                           | EH350    |                 |              | ✓                |
| Micro StripWasher Sleeve – 14" / 35 cm                                | NS350    |                 |              | ✓                |
| ErgoTec Squeegee Handle                                               | ETG00    |                 |              | ✓                |
| Pro Stainless Steel Squeegee Handle                                   | PR000    | ✓               | ✓            |                  |
| "S" Channel w/ ErgoTec Soft Rubber – 10" / 25 cm                      | NE250    |                 | ✓            | ✓                |
| "S" Channel w/ErgoTec Soft Rubber – 14" / 35 cm                       | NE350    | ✓               | ✓            | ✓                |
| "S" Channel w/ErgoTec Soft Rubber – 18" / 45 cm                       | NE450    | ✓               | ✓            | ✓                |
| ErgoTec Soft Rubber Blister Pack                                      | RT920    |                 | ✓            | ✓                |
| The Original StripWasher Complete Window Washing Sleeve - 14" / 35 cm | WC350    |                 | ✓            |                  |
| The Original StripWasher Complete Window Washing Sleeve - 18" / 45 cm | WC450    | ✓               |              |                  |
| OptiLoc 2-Section Tele-Pole – 8' / 2.4 m                              | EZ250    | ✓               | ✓            | ✓                |
| ErgoTec Safety Cone                                                   | NCAN0    |                 | ✓            | ✓                |
| FIXI-Clamp                                                            | FIX10    |                 | ✓            |                  |
| The Sponge                                                            | SP010    | ✓               | ✓            |                  |
| Plastic Clips and Case                                                | PCLIP    |                 |              | ✓                |
| ErgoTec Scraper – 4" / 10 cm                                          | SH00C    |                 |              | ✓                |
| ErgoTec Safety Scraper – 1.5" / 4 cm                                  | SR500    |                 | ✓            | ✓                |
| MicroWipe                                                             | MF40L    |                 |              | 3x               |
| The Pill Glass Cleaner (10 pack)                                      | PL100    |                 |              | ✓                |
| FIXI-Clamp                                                            | FIX10    |                 | ✓            |                  |
| HandiBrush                                                            | HBR00    |                 | ✓            |                  |
| ProTrim10 Scraper - 4" / 10 cm                                        | TX100    | ✓               | ✓            |                  |
| Window Kit Carrying Bag                                               | 20704    |                 | ✓            | ✓                |
| <b>Case Qty.</b>                                                      |          | 1               | 1            | 1                |



Quality Tools for Smart Cleaning™

# GLASS CLEANING ACCESSORIES

## Ninja MicroWipe®



| Part No. | Size                   | Case Qty. |
|----------|------------------------|-----------|
| MN40U    | 16" x 16" / 40 x 40 cm | 5         |

- Premium microfiber cloth for streak-free glass and window cleaning
- Built-in scrub zones provide extra cleaning power
- Pocket corner allows secure attachment to a telescopic pole for high-reach detailing.
- Wash Cycles: 500



## EASY GLIDE GLASS CLEANER

| Part No. | Size     | Case Qty. |
|----------|----------|-----------|
| FR110    | 1 quart  | 6         |
| FR380    | 1 gallon | 4         |

- Liquid window cleaner that leaves behind a smooth surface for squeegees to glide across.
- 100:1 concentrate (Makes 25 gallons per quart)
- Biodegradable, skin friendly and non-toxic



## RUB OUT

| Part No. | Size   | Case Qty. |
|----------|--------|-----------|
| RUB50    | 1 pint | 12        |

- Professional surface cleaner for removing hard-water stains, rust, mineral deposits, lime scale and soap scum
- Scrub stains without harming surface



## PRO BUCKET 6 - GALLON

| Part No. | Capacity      | Case Qty. |
|----------|---------------|-----------|
| QB220    | 6 gal. / 23 L | 5         |

- Heavy duty bucket with ergonomic handle
- Holds over 6 gallons of liquid and 18" squeegee or T-bar
- Includes measuring units, large footprint for increased stability, and rounded pour spouts on 2 corners for easy emptying



## PRO BUCKET LID

| Part No. | Compatibility      | Case Qty. |
|----------|--------------------|-----------|
| QB080    | For use with QB220 | 5         |

- Sturdy snap-on lid for Pro Bucket
- Notched tabs lock handle into upright position when lid is in place
- Inner seal provides splash and leak protection
- Removes easily using tabs on each corner

## MicroWipe®



| Part No. | Size                   | Case Qty. |
|----------|------------------------|-----------|
| MF40L    | 16" x 16" / 40 x 40 cm | 10        |

- Ultrafine microfiber cloth ideal for ledges and frames on windows and mirrors
- Superior water absorption, no streaks
- Two surfaces: coarse for cleaning, smooth for polishing



## THE PILL GLASS CLEANER

| Part No. | Size                                 | Case Qty. |
|----------|--------------------------------------|-----------|
| PL100    | 100 pills: 10 strips of 10           | 10        |
| PL500    | 500 pills: 5 rolls of 100            | 1         |
| PLBTL    | 1200 pills: 12 bottles with 100 each | 1         |


- Pre-measured - mix with 2½ gallons of water
- Biodegradable, skin friendly and non-toxic
- PL100 / PL500 individually packaged
- Not for use in freezing temperatures



## PRO BUCKET 3 - GALLON

| Part No. | Capacity      | Case Qty. |
|----------|---------------|-----------|
| QB12B    | 3 gal. / 12 L | 5         |

- Durable ergonomic handle with vertical handle position
- Contains two spouts, measuring scale, flexible storage options for window squeegee / washer up to 14"



## PRO BUCKET SIEVE

| Part No. | Compatibility      | Case Qty. |
|----------|--------------------|-----------|
| QB060    | For use with QB220 | 5         |

- Hooks securely on to bucket lip
- Powder coated steel features a chemical resistant surface
- Accommodates washers up to 18"

# TRADITIONAL WINDOW CLEANING

## ACCESSORIES



### ErgoTec® BELT

| Part No. | Size                | Case Qty. |
|----------|---------------------|-----------|
| BSTBT    | 32"-50" / 80-130 cm | 1         |

- Sturdy padded belt for carrying tool pouches
- Four clips, quick-release closure



### ErgoTec® POUCH

| Part No. | Size                 | Case Qty. |
|----------|----------------------|-----------|
| BSPOU    | 12"-14.5" / 30-37 cm | 1         |

- Contains three waterproof compartments for storing dry and damp cloths separately
- Front pocket features loop for holding tools and a loop and hook closure



### LEATHER HOLSTER

| Part No. | Case Qty. |
|----------|-----------|
| HT000    | 5         |

- Leather tool holder with two compartments
- Holds squeegees and washers
- Made of top grain leather and attaches to any belt



### THE BELT

| Part No. | Size                | Case Qty. |
|----------|---------------------|-----------|
| UB000    | 28"-48" / 72-122 cm | 5         |

- For attaching the Bucket On A Belt and other tools
- Two loops hold additional tools
- Easy-to-use, side-release buckle
- Made with 2" / 5 cm heavy-duty nylon webbing

**BB010**  
ErgoTec®  
NINJA



**BB020**  
Classic  
Bucket  
on a Belt



### BUCKET ON A BELT


| Part No. | Type           | Case Qty. |
|----------|----------------|-----------|
| BB010    | ErgoTec® NINJA | 5         |
| BB020    | Classic        | 5         |

- Holder for squeegees, washer, scraper, & cleaning liquid
- Holds all important tools at your side, reducing the need to climb up and down ladders
- Sturdy quick-release strap for easy removal from belt
- BB010 - for right or left handed use. Includes protector insert for optimum squeegee compatibility
- BB010 - can hold 2 squeegees, 1 washer, 1 scraper
- BB020 - can hold 1 squeegee, 1 washer, 1 scraper



Quality Tools for Smart Cleaning™

# HIGH ACCESS CLEANING & DUSTING



## FEATURED PRODUCT

pg. 41

### StarDuster® PROFLEX ELITE



| Part No. | Contents                      | Case Qty. |
|----------|-------------------------------|-----------|
| PED18    | 1 Flexible Duster & 2 Sleeves | 3         |

**UNGER** has specialized cleaning tools for tall spaces that efficiently remove built-up dust, cobwebs, and grime, addressing safety, cleanliness, and employee strain concerns. Our products ensure quick and effective cleaning of high windows, ceilings, pipes, ductwork, and ledges.

LEARN MORE HERE



**EFFICIENT, SAFE, AND EASY**

## Eliminate ladders and lifts; work safely on the ground

### SAFELY WORK FROM THE GROUND

UNGER offers high-access tools designed for safe and efficient cleaning, allowing users to easily reach elevated areas with ease.

| Ref. No. | Pole Type                     |
|----------|-------------------------------|
| 1.       | OptiLoc™ Telescopic Pole      |
| 2.       | Ninja™ Carbon Telescopic Pole |
| 3.       | Carbon Trad Pole              |
| 4.       | nLite® Pole Gen 1             |
| 5.       | nLITE® Pole Gen 2             |


| Ref. No. | Adapter Type                                         |
|----------|------------------------------------------------------|
| a.       | Ninja Angle Adapter (Part No.: NCPAN)                |
| b.       | Ninja Carbon Telescopic Pole Locking Cone (included) |
| c.       | HiFlo™ nLite® Locking Cone Adapter (Part No.: HFNLC) |
| d.       | nLITE® Classic Tool Adapter (Part No.: NLCLA)        |
| e.       | Gen 2 Angle Adapters                                 |

| Ref. No. | Adapter Type                                                                             |
|----------|------------------------------------------------------------------------------------------|
| f.       | HiFlo™ Euro Thread Adapter (Part No.: AFAET)                                             |
| g.       | HiFlo™ nLite® MultiLink Thread Adapter (Part No.: FTTHR) included with nLite pole system |
| h.       | nLITE® Euro Thread Adapter (Part No.: NLTHR)                                             |

### HIGH ACCESS DUSTING



Dusters



Unger's versatile poles are compatible with various tools, making them adaptable for a wide range of cleaning tasks.

### CLASSIC WINDOW TOOLS




Washers



Squeegees




Scrapers



### GLASS AND SURFACE TOOL



Aluminum Pad Holder



# CARBON TELESCOPIC POLES

Unmatched performance,  
ultimate precision

## NINJA CARBON TELESCOPIC POLES

The **NINJA™ Carbon Telescopic Pole** sets a new standard in professional window cleaning. Designed for maximum control and efficiency, it features an ergonomic triangular shape, lightweight construction, and exceptional rigidity for precise cleaning. The compact design makes it easy to handle and transport when retracted. The **UNGER NINJA Carbon Telescopic Pole** is the ultimate tool for a smooth, comfortable, and more efficient window cleaning experience.



2 sections

3 sections

4 sections



### ERGONOMIC TRIANGULAR SHAPE

- Precise and safe working without twisting or bending



### CARBON MATERIAL

- Superior rigidity and control deliver optimal pressure transfer to the surface
- Lightweight for fatigue free



### Ninja™ CARBON TELESCOPIC POLES

| Part No. | Sections | Extended      | Collapsed     | Case Qty. |
|----------|----------|---------------|---------------|-----------|
| NCP12    | 2        | 4' / 1.2 m    | 2.5' / 0.77 m | 1         |
| NCP19    | 4        | 6' / 1.9 m    | 2.5' / 0.77 m | 1         |
| NCP25    | 2        | 8' / 2.5 m    | 4.7' / 1.42 m | 1         |
| NCP35    | 3        | 11.5' / 3.5 m | 4.7' / 1.42 m | 1         |
| NCP45    | 4        | 15' / 4.5 m   | 4.7' / 1.42 m | 1         |
| NCP55    | 4        | 18' / 5.5 m   | 5.5' / 1.67 m | 1         |

The Ninja premium cleaning  
system from UNGER

## NINJA CLEANING SYSTEM

### RUBBER POLE TIP

- Secure, slip-free hold for microfiber cloths
- Ideal for drying edges and spot polishing



### FLEXIBLE WORK

- Freely adjustable angle adapter
- Easy-to-use quick-release fastener



### EASY TO USE CLAMPS

- One-hand opening and closing
- Easy adjustment of the pole length
- Secure locking mechanism
- Pull-out stop prevents overextension



### TRIANGULAR GRIP WITH NON-SLIP END CAP

- Ergonomic and secure grip - even when wet
- Stable, slip-resistant base when set down
- Comfortable and easy to control



### LOCKING CONE

- Compatible with all UNGER tools
- Securely holds tools
- Quick and easy tool change



### ANGLE ADAPTER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NCPAN    | 10" / 26 cm | 5         |

## Lightweight telescopic poles

### CARBON TRAD POLES

Lightweight and durable telescopic pole for high-access cleaning. Crafted from carbon fiber, this telescopic pole offers exceptional strength and rigidity for easy pole work.


#### LOCKING CONE

- Attach a full range of cleaning tools - washers, squeegees, dusters, and brushes




#### CLAMPS

- Securely lock the pole at desired height with easy lock clamps - no more twisting for trouble free work



#### LIGHTWEIGHT

- Carbon fiber reduces fatigue and minimizes shoulder strain
- Excellent rigidity carbon pole material
- Temperature-neutral material - no more cold metal poles



#### NON-SLIP GRIP

- Comfortable grip also safeguards your pole against concrete damage when placed on the ground

#### COMPACT DESIGN

- When fully collapsed, pole is easy to store and transport

### CARBON TRAD POLES

| Part No. | Sections | Size         | Case Qty. |
|----------|----------|--------------|-----------|
| CP250    | 2        | 8' / 2.5 m   | 6*        |
| CP370    | 3        | 12' / 3.75 m | 6*        |
| CP600    | 5        | 20' / 6 m    | 6*        |

\* Case Qty: Combine any Carbon Trad Pole sizes to reach minimum of 6

## Pole sizes

### THREE SIZES





Quality Tools for Smart Cleaning™

# POLES

## Fixed and telescopic poles

Wherever there is a need for extended reach, choose an **UNGER** telescopic pole. All of the **UNGER** poles have ergonomic handles for worker comfort. All fit a full range of cleaning tools – washers, squeegees, dusters, and brushes.

No matter what the job, using an Unger pole allows performance and safety to be top priorities.



### OptiLoc™ 2 AND 3-SECTION POLES

| Part No. | Size         | Sections | Case Qty. |
|----------|--------------|----------|-----------|
| EZ120    | 4' / 1.25 m  | 2        | Any 10    |
| EZ250    | 8' / 2.5 m   | 2        | Any 10    |
| EZ300    | 10' / 3 m    | 2        | Any 10    |
| EZ400    | 13' / 4 m    | 2        | Any 10    |
| ED180    | 6' / 1.85 m  | 3        | Any 10    |
| ED370    | 12' / 3.75 m | 3        | Any 10    |
| ED450    | 14' / 4.5 m  | 3        | Any 10    |
| ED550    | 18' / 5.5 m  | 3        | Any 10    |
| ED600    | 20' / 6 m    | 3        | Any 10    |
| ED750    | 24' / 7.5 m  | 3        | Any 10    |
| ED900    | 30' / 9 m    | 3        | Any 10    |

- Work safely from the ground with sturdy 2- or 3-section telescopic extension poles
- Constructed of anodized, extruded drawn aluminum with sure grip locking collars and ErgoTec Locking Cone for faster and easier tool change
- Sure Grip Locking Collars and Handle Grip are ergonomically designed for comfort allowing a better grip
- Anti-Slip End Cap helps keep the OptiLoc pole in place when on the ground and protects against damage



### HENRY'S HANDI HANDLE

| Part No. | Size       | Sections | Case Qty. |
|----------|------------|----------|-----------|
| HH240    | 2' / 60 cm | 1        | 5         |


- Ergonomic, one section handle with ErgoTec® Locking Cone
- Allows for easier access to hard-to-reach places

## TelePlus poles

A flexible, modular pole system available in 2- or 3-section starter units, with 6-foot extensions. The TelePlus system enables you to easily reach heights from 12 to 30 feet.

The poles, made of drawn anodized aluminum, are light and can be handled easily and safely, to provide a maximum reach.

Customize Your System:



### TelePlus™ 6' / 1.85 M SYSTEM

| Part No. | Size         | Sections | Case Qty. |
|----------|--------------|----------|-----------|
| TZ370    | 12' / 3.75 m | 2        | Any 10    |
| TD550    | 18' / 5.5 m  | 3        | Any 10    |
| TV750    | 24' / 7.4 m  | 4        | Any 10    |
| TF900    | 30' / 9 m    | 5        | Any 10    |

- Modular Telescopic pole with the ErgoTec® Locking Cone



### PLUS 3

| Part No. | Size        | Sections | Case Qty. |
|----------|-------------|----------|-----------|
| T3180    | 6' / 1.85 m | 1        | Any 10    |

- 6-foot extensions for 2-section base TelePlus™ modular pole system



### PLUS 4

| Part No. | Size        | Sections | Case Qty. |
|----------|-------------|----------|-----------|
| T4180    | 6' / 1.85 m | 1        | Any 10    |

- 6-foot extensions for 3-section base TelePlus™ modular pole system



### PLUS 5


| Part No. | Size        | Sections | Case Qty. |
|----------|-------------|----------|-----------|
| T5180    | 6' / 1.85 m | 1        | Any 10    |

- 6-foot extensions for 4-section base TelePlus™ modular pole system




(See page 37 for tool connections and poles)

### TOOL CONNECTIONS



#### PRESS ON

Special grooves on the cone ensure a secure fit for the tools




#### SNAP ON

These tools snap directly onto Unger telescopic poles



#### SCREW ON

These tools screw onto the ACME thread of an Unger cone



#### LOCK ON

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone

### StarDuster® PROFLEX / PROFLAT

| Part No. | Product Name            | Size        | Case Qty. |
|----------|-------------------------|-------------|-----------|
| PXD7G    | ProFlex                 | 30" / 75 cm | 10        |
| PFD7G    | ProFlat                 | 30" / 75 cm | 10        |
| PS50W    | 50pk Disposable Sleeves |             | 1         |
| PM05W    | 5pk Microfiber Sleeves  |             | 1         |

**ProFlex (PXD7G): Bends to clean hard-to-reach areas**  
**ProFlat (PFD7G) retains its shape to slide between tight spaces**

- Great for cleaning overhead, underneath furniture, appliances, and around corners
- Microfiber sleeve is removable and machine washable (wash cycles: 300)
- Comes with three electrostatic disposable sleeves
- PS50W: Disposable, electrostatic replacement sleeves for ProFlex (PXD7G) and ProFlat (PFD7G) dusters

### StarDuster® PROFLEX ELITE

| Part No. | Contents                      | Case Qty. |
|----------|-------------------------------|-----------|
| PED18    | 1 Flexible Duster & 2 Sleeves | 3         |
| PES18    | 3pk Microfiber Sleeves        | 1         |

**ProFlex Elite (PED18): Dual sided microfiber duster built for use by hand for low level surfaces or connect to pole for higher level surfaces**

- 23" bendable/flexible wand style duster with handle connection system
- Handles high-access dusting needs
- PES18: 18" dual sided microfiber replacement sleeves are machine washable (wash cycles: 300)

### StarDuster® PRO LAMBSWOOL DUSTER

| Part No. | Size                    | Case Qty. |
|----------|-------------------------|-----------|
| LWDUR    | 30" - 60" / 70 - 150 cm | 10        |
| DS10Y    | 10pk Disposable Sleeves | 1         |
| DS50Y    | 50pk Disposable Sleeves | 1         |

**ProDuster (LWDUR): Lambswool duster for most surfaces, and features a built in extension pole to reach average ceiling heights**

- Telescopic lambswool duster with bendable head & sleeve
- Ideal for dusting in high places
- Disposable duster sleeve attracts and holds dust, keeping it away from workers and fixtures below
- DS10Y & DS50Y: Disposable, electrostatic replacement sleeves for Pro Lambswool Duster (LWDUR)



Quality Tools for Smart Cleaning™

# HIGH ACCESS CLEANING & DUSTING

## StarDuster® LAMBSWOOL

| Part No. | Case Qty. |
|----------|-----------|
| LWDUO    | 6         |

### Perfect for dusting shelves and other surfaces

- Superior cleaning and dust removal
- Duster attaches to any Unger cone or standard ACME thread
- Use with ProDuster Replacement Sleeves (DS50Y)

## StarDuster® PRO CEILING FAN DUSTER

| Part No. | Case Qty. |
|----------|-----------|
| CEDUG    | 5         |

### Thick, soft microfiber strands clean all shapes and sizes of ceiling fan blades, and vents

- Microfiber sleeve is removable and machine washable
- Wash Cycles: 300

## StarDuster® PIPE BRUSH

| Part No. | Case Qty. |
|----------|-----------|
| PIPE0    | 5         |

### Bendable 11" / 28 cm curved brush for cleaning pipes and other round surfaces

- Made with heavy-duty wire and polypropylene bristles

## StarDuster® WALL BRUSH

| Part No. | Case Qty. |
|----------|-----------|
| WALB0    | 5         |

### Oval shape for ceiling fans, walls, and ceilings

- Made of heavy-duty galvanized wire and horsehair bristles
- Ideal for dusting rough surfaces and for removing cobwebs and dust from flat objects

## StarDuster® COBWEB BRUSH

| Part No. | Case Qty. |
|----------|-----------|
| COBW0    | 6         |

### Split-tipped soft poly fibers allow for effective scratch-free dusting

- Great for high access dusting ceilings, moldings, and corners
- Electrostatic energy attracts and holds dust, dirt, and cobwebs

## HIGH ACCESS DUSTING KIT

| Part No. | Case Qty. |
|----------|-----------|
| HADK2    | 1         |

- PIPE0 StarDuster Pipe Brush
- WALB0 StarDuster Wall Brush
- CEDUG StarDuster Pro Ceiling Fan Duster
- PXD7G StarDuster ProFlex
- PS50W StarDuster ProFlex Sleeves (50)
- COBW0 CobWeb Duster Brush
- NLCLA nLITE Classic Tool Adapter

\*Includes attachment to use with Gen 1 or Gen 2 nLITE Poles

## StarDuster® LAMBSWOOL LWDUO



## StarDuster® PRO CEILING FAN DUSTER CEDUG



## StarDuster® PIPE BRUSH PIPE0



## StarDuster® WALL BRUSH WALB0



## StarDuster® COBWEB DUSTER BRUSH COBW0



## HIGH ACCESS DUSTING KIT HADK2



### LIGHT BULB CHANGERS


#### FLOOD SUCKER BULB CHANGER



| Part No. | Case Qty. |
|----------|-----------|
| FS000    | 5         |

- Easily change floodlights and other flat lightbulbs safely from the ground
- Features suction cups that attach to bulb
- Fully insulated
- Snaps onto telescopic poles for extended reach

#### STICKY FINGERS BULB CHANGER



| Part No. | Case Qty. |
|----------|-----------|
| BS010    | 5         |

- Easily change lightbulbs safely from the ground
- Rubber-coated spring steel fingers for quality turning power
- Adjusts to fit various-shaped CFL bulbs
- Snaps onto telescopic poles for extended reach


#### THE BEBBE



| Part No. | Case Qty. |
|----------|-----------|
| BEBE0    | 5         |

- Safely remove broken lightbulb base from socket
- Complete with plastic tray for catching broken bulb pieces
- Fully insulated
- Snaps onto telescopic poles for extended reach

### TOOL CONNECTIONS




#### SNAP ON

These tools snap directly onto Unger telescopic poles



#### SCREW ON

These tools screw onto the ACME thread of an Unger cone



### SPONGES



#### FIXI-CLAMP

| Part No. | Item       | Case Qty. |
|----------|------------|-----------|
| FIX10    | Fixi-Clamp | 5         |
| SP010    | Sponge     | 10        |

- FIX10: Adjustable plastic clamp (with 3.5" / 9 cm max opening) firmly holds tools like brushes, sponges, and cloths
- SP010: Open cellulose foam sponge is perfect for general cleaning and can be used with Fixi-Clamp



#### SOOT MASTER SPONGE

| Part No. | Size                          | Case Qty. |
|----------|-------------------------------|-----------|
| SP060    | 2"x 3" x 6" / 5 x 7.6 x 15 cm | 6         |

- Perfect for cleanup after fire or smoke damage
- Dry sponge absorbs dust and soot particles
- Can be cut, if smaller size is required
- Rinsable rubber material

### ADAPTERS

#### ErgoTec™ LOCKING CONE



| Part No. | Case Qty. |
|----------|-----------|
| NCANO    | 5         |

- Securely locks select Unger tools onto pole
- Fast tool change with quick-release button
- Other tools attach by pressing on, snap on, or screw on

#### THREADED WOOD CONE ADAPTER



| Part No. | Case Qty. |
|----------|-----------|
| TWA00    | 5         |

- Wood cone adapter for attaching tools
- Features an internal ACME thread
- Pressure fitted

#### CRANKED JOINT ANGLE ADAPTER



| Part No. | Thread | Case Qty. |
|----------|--------|-----------|
| CJA00    | Zinc   | 5         |

- Adjust tools to clean at any angle up to 300°
- Squeegees, washers, etc. quickly attach to adapter
- Strong zinc construction



Quality Tools for Smart Cleaning™

# INDOOR WINDOW & SURFACE CLEANING



## FEATURED PRODUCT

pg. 46



**STINGRAY**  
The Ultimate Indoor Cleaning Tool

**Stingray REFILLABLE MICROFIBER  
CLEANING KIT DELUXE 11'**

Part No.

Case Qty.

SRKB7

1

In schools, restaurants, and public areas, germs can linger on surfaces for hours. Regular cleaning is essential to control the spread of infections.

**UNGER** offers cleaning tools that effectively remove impurities from surfaces, tables, and desks, aiding in the prevention of disease transmission.

## LEARN MORE HERE



**EFFICIENT, SAFE, AND EASY**



## Innovative and efficient indoor cleaning tool!

### ADVANTAGES



#### ELIMINATE AIRBORNE CHEMICALS

- Integrated dispenser eliminates spray of chemicals into the air, protecting the user and those in the surrounding area



#### REACH UP TO 16' WITH QUICK CLICK ATTACHMENT POLES

- Clean hard to reach and high access areas without ladders or lifts



#### INCREASED PRODUCTIVITY

- Clean 25% faster than cleaning with rag and spray bottle



#### REFILLABLE 5 oz BOTTLE

- Fill with your choice of cleaning solution
- Large opening for easy filling: ready to use in seconds
- 39% less liquid consumption than traditional methods



#### CLEANING PADS

- Three pad options available: microfiber washing pad, microfiber cleaning pad, and disposable QuikPad



SRPD1

SRPD2

SRPD4

### BEST USED FOR:



Glass and Mirrors



Tables and Countertops



White Boards



Stainless Steel



Walls

## Stingray Kits Overview

### STINGRAY REFILLABLE KITS



| Stingray® KITS              | Part No. | QUIKPAD™ KIT | MICROFIBER KIT | QUIKPAD™ KIT | MICROFIBER KIT | MICROFIBER KIT DELUXE |
|-----------------------------|----------|--------------|----------------|--------------|----------------|-----------------------|
| Part No. (KITS)             |          | SRKB2        | SRKB5          | SRKB1        | SRKB4          | SRKB7                 |
| Length                      |          | <b>5'</b>    | <b>5'</b>      | <b>11'</b>   | <b>11'</b>     | <b>11'</b>            |
| Stingray Handheld           | SRHBT    | ✓            | ✓              | ✓            | ✓              | ✓                     |
| Extension Pole - Long       | SREPL    | ✓            | ✓              | 2x           | 2x             | 2x                    |
| Extension Pole - Short      | SREPS    |              |                | ✓            | ✓              | ✓                     |
| Glass Washing Pad           | SRPD2    |              | 2x             |              | 2x             | 2x                    |
| Stringray Refillable Bottle | SRBT1    | 2x           | 2x             | 2x           | 2x             | 2x                    |
| QuikPad™ Adapter Kit        | SRADK    | ✓            |                | ✓            |                |                       |
| Stingray Bag                | SRBAG    |              |                |              |                | ✓                     |
| Case Qty.                   |          | 1            | 1              | 1            | 1              | 1                     |



### STINGRAY ACCESSORIES



#### Stingray REFILLABLE HANDHELD

| Part No. | Case Qty. |
|----------|-----------|
| SRHBT    | 1         |

- Perfect tool for cleaning most flat surfaces
- Enclosed spray nozzle prevents chemical overspray
- Low profile head cleans frames with ease
- Ergonomic triangular handle and pole shape
- Refillable 5 oz bottle for any cleaning solution



#### Stingray REFILLABLE BOTTLE

| Part No. | Case Qty. |
|----------|-----------|
| SRBT1    | 1         |

- Refillable bottle to use with your preferred cleaning solution
  - 5oz capacity
- For use with Stingray Refillable System (SRHBT)



#### Stingray CARRYING BAG

| Part No. | Case Qty. |
|----------|-----------|
| SRBAG    | 1         |

- Durable bag to safely store and carry your Stingray tools
- Holds all Stingray kits including SRKB1, SRBK2, SRBK4, SRBK5, SRBK7



#### Stingray EXTENSION POLES

| Part No. | Length      | Case Qty. |
|----------|-------------|-----------|
| SREPL    | 4' / 1.24 m | 1         |
| SREPS    | 2' / 0.63 m | 1         |

- Triangular shape for better grip
- Light, rigid aluminum
- Easy-click connection and activation button

### STINGRAY CLEANING PADS



#### Stingray GLASS WASHING PAD

| Part No. | Case Qty. |
|----------|-----------|
| SRPD2    | 5         |

- Triangle shape for perfect reach into corners
- Elastic bands for a secure fit and easy assembly
- Long fibers for removing heavy dirt and grime
- Wash Cycles: 300
- Color coding tabs to prevent cross-contamination



#### Stingray GLASS CLEANING PAD

| Part No. | Case Qty. |
|----------|-----------|
| SRPD1    | 5         |


- Triangle shape for perfect reach into corners
- Elastic bands for secure fit and easy assembly
- Removes dust, fingerprints, grease, and other light dirt
- Wash Cycles: 200



#### Stingray QUIKPAD™ ADAPTER KIT

| Part No. | Case Qty. |
|----------|-----------|
| SRADK    | 1         |

- Adapter plate with 25 disposable QuikPads™
- Hook & loop Adapter Plate easily snaps on to the Stingray unit to allow use of QuikPads™



#### Stingray QUIKPAD™ - 100 PACK\*

| Part No. | Case Qty. |
|----------|-----------|
| SRPD4    | 1         |

- Durable, lasting QuikPads™ clean up to 150 SF/13.9 SM without having to launder pads
- Pads can be easily replaced for each use

\*Adapter plate required when using QuikPad

# INDOOR SURFACE CLEANING

## SpeedClean™: Quick, convenient, & easy!

- Leaves indoor surfaces sparkling from glass to tabletops, to multiple flat surfaces
- Easily clean facility windows and glass frequently that have streaks, debris, smudges and traces of lint
- Designed to maximize efficiency without sacrificing cleaning performance.



## SpeedClean Kits Overview

| SpeedClean KITS                                 | Part No. | ENTRY KIT | PROFESSIONAL KIT | ADVANCED KIT |
|-------------------------------------------------|----------|-----------|------------------|--------------|
| Part No. [KITS]                                 |          | WNK04     | CK053            | CK054        |
| Length                                          |          | 4'        | 6'               | 6'           |
| Aluminum Pad Holder                             | PHH20    | ✓         | ✓                | ✓            |
| Handheld Aluminum Pad Holder                    | PHD20    |           |                  | ✓            |
| OptiLoc 2-Section Telescopic Pole - 4' / 1.24 m | EZ120    | ✓         |                  |              |
| OptiLoc 3-Section Telescopic Pole - 6' / 1.8 m  | ED180    |           | ✓                | ✓            |
| Microfiber Washing Pad                          | PHW20    | ✓         | 3x               | 3x           |
| Microfiber Cleaning Pad                         | PHL20    | ✓         | 3x               | 3x           |
| Sprayer On A Belt                               | SOABG    |           | ✓                | ✓            |
| HiFlo Euro Thread Adapter                       | AFAET    | ✓         | ✓                | ✓            |
| Case Qty.                                       |          | 1         | 1                | 1            |

### MICROFIBER WASHING PAD


| Part No. | Size          | Case Qty. |
|----------|---------------|-----------|
| PHW20    | 11.5" / 29 cm | 5         |

- Long fibers for removing heavy dirt and grime
- Best cleaning with minimal drag
- Use with pad holder PHH20 or PHD20
- Wash Cycles: 500

### MICROFIBER CLEANING PAD

| Part No. | Size          | Case Qty. |
|----------|---------------|-----------|
| PHL20    | 10.5" / 27 cm | 5         |

- Cleans glass with less drag
- Removes dust, fingerprints, grease, and other light dirt from glass & smooth surfaces
- Use with pad holder PHH20 or PHD20
- Wash Cycles: 100



### SCRUB PAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| OPS20    | 10" / 25 cm | 10        |

- Special scrub pad for removing tough soils
- Optimal for outdoor cleaning
- Use with pad holder PHH20 or PHD20
- Rinsable for reuse



ALUMINUM PAD HOLDER



| Part No. | Size         | Case Qty. |
|----------|--------------|-----------|
| PHH20    | 9.5" / 24 cm | 5         |

- Pad holder with swivel head easily glides across windows
- Attach to Unger pole with thread adapter AFAET
- Full coverage hook & loop fastener backing for strong hold of pads



HANDHELD ALUMINUM PAD HOLDER

| Part No. | Size         | Case Qty. |
|----------|--------------|-----------|
| PHD20    | 9.5" / 24 cm | 5         |

- Perfect hand control and pressure distribution while cleaning glass with less drag
- Full coverage hook & loop fastener backing for strong hold of pads



HiFlo™ EURO THREAD ADAPTER

| Part No. | Case Qty. |
|----------|-----------|
| AFAET    | 5         |

- Adapter connects aluminum poles to pad holder and other tools with euro thread



SPRAYER ON A BELT

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SOABG    | 33 oz / 1 L | 5         |


- Sprayer hooks onto belt, providing optimal weight support
- Flexible hose extends 3' / 0.9 m for upside-down spraying
- Includes SmartColor™ Decal Kit to customize for designated areas



UNGER DESK AND TABLE CLEANING KIT

| Part No. | Case Qty. |
|----------|-----------|
| CK047    | 1         |

- COMBG SmartColor Dual Bucket - 32 Qt.
- SM40G SmartColor EZ Flat Mop Holder
- HH240 Henry's Handi Handle - 2'
- MD400 (2) SmartColor MicroMop 7.0 - Green



TOOL CONNECTIONS





TWIST ON

- These tools screw onto the Euro thread of an Unger cone



## MicroWipe™: Commercial grade microfiber cloths

### OVERVIEW MICROFIBER CLOTHS

|                 | MicroWipe 200<br>40g / 250gsm*                                                    | MicroWipe 500<br>48g / 300gsm*                                                    | MicroWipe 2000<br>57g / 356gsm*                                                    | MicroWipe 4000g<br>72g / 450gsm*                                                    |
|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                 | VERSATILE CLEANING                                                                | POLISHED FINISH                                                                   | DURABLE PERFORMANCE                                                                | MAXIMUM DUTY POWER                                                                  |
| Material Detail |  |  |  |  |
| Uses            | Daily dusting, light surface cleaning, office use                                 | Kitchen cleaning, glass polishing, and automotive care                            | Thicker soil wiping, warehouse maintenance and spills                              | Industrial cleaning, job sites, tough grime                                         |
| Size            | 16" x 16" / 40 x 40 cm                                                            | 16" x 16" / 40 x 40 cm                                                            | 16" x 16" / 40 x 40 cm                                                             | 16" x 15" / 40 x 38 cm                                                              |
| Durability**    | 200                                                                               | 500                                                                               | 2000                                                                               | 4000                                                                                |
| Wash Cycles     | 200                                                                               | 500                                                                               | 1000                                                                               | 1500                                                                                |
| Color           | Part No.                                                                          | Part No.                                                                          | Part No.                                                                           | Part No.                                                                            |
| Red             | ME40R                                                                             | MC40R                                                                             | MB40R                                                                              | MF40R                                                                               |
| Yellow          | ME40J                                                                             | MC40J                                                                             | MB40J                                                                              | MF40J                                                                               |
| Yellow/Red      | --                                                                                | --                                                                                | --                                                                                 | MF40Y                                                                               |
| Green           | ME400                                                                             | MC400                                                                             | MB400                                                                              | MF400                                                                               |
| Blue            | ME40B                                                                             | MC40B                                                                             | MB40B                                                                              | MF40B                                                                               |
| Case Qty.       | 10                                                                                | 10                                                                                | 10                                                                                 | 10                                                                                  |

- **What is GSM?\*** - GSM is a metric term which stands for grams per square meter. It is a standard industry wide method of measurement of the density or weight of a fabric.

### BENEFITS

- **VERSATILE** - Quickly achieves a streak-free finish on various surfaces for a thorough clean
- **ABSORBENCY** - Ranges in absorbency: from 1100 ml up to 1700 ml of liquid, for heavier cleaning tasks
- **GENTLE ON SURFACES** - 16-split-blended microfiber cleans deeply without scratching delicate materials
- **QUICK DRYING** - Allows for faster reuse, reducing downtime
- **DURABLE DESIGN** - Cloths provide up to 1,500 wash cycles, ensuring long-lasting performance

### MICROWIPE GRADING SYSTEM

UNGER follows several performance criteria, which have been tested, measured and evaluated by ASTM Laboratory and other US standard tests to help the user decide which microfiber cloth to use for the application

- **Durability (Wear Cycles)\*\*** - The higher this factor, the more frequently the microfiber cloth can be moved across a rough surface before it becomes thinner and wears through.
- **Washing Cycles** - A large number of washing cycles, using machine wash and drying sequences, provides information on the durability of the cloth before quality starts to decline.

\*\* ASTM tests \*Standard US industry tests

### MULTI-SURFACE CLEANING



### WHAT IS THE SMARTCOLOR™ SYSTEM?

Helps prevent cross-contamination with easy color identification.

#### RECOMMENDED USAGE

- Restrooms / High Bacteria Areas
- Specialty Areas / Labs / Gymnasiums
- Food Service Area / Kitchens / Break Rooms
- General Area / Low-Risk Bacteria Area / Offices / Lobbies / Classrooms
- [See p. 74 for more info.]



## FEATURED PRODUCT

pg. 54

**DEEPCLEAN<sup>RX</sup>**  
A HIGHER LEVEL OF CLEAN

### JANITORIAL CART SYSTEM

Part No.

Case Qty.

CRTDC

1

**UNGER** professional cleaning carts support all your cleaning needs for commercial cleaning facilities, from restroom cleaning to floors and windows. These commercial cleaning carts are purpose-designed to meet custodians' needs for daily and project cleaning.

LEARN MORE HERE



**EFFICIENT, SAFE, AND EASY**



Quality Tools for Smart Cleaning™

# JANITORIAL CART SYSTEMS

## Janitorial carts

### HIGH QUALITY CLEANING EQUIPMENT

With **UNGER** Janitorial Carts, you can equip your team with cleaning equipment to ensure the cleanliness of your facilities

### ADVANTAGES



#### TURNKEY:

Fully-loaded innovative janitorial carts come with all the tools you need to start cleaning



#### ORGANIZED:

Patented **EZclip™** system keeps tools in place and handy where and when you need them



#### DURABLE:

Expertly designed with tools that are built to last with a 100% Customer Satisfaction Guarantee

### AWARD WINNING TOOLS

**UNGER** janitorial carts are equipped with an array of award-winning tools designed to streamline cleaning processes and enhance efficiency, ensuring a spotless environment with ease



### Tools and applications

#### FLOOR CARE



Ergonomic telescopic dustpan with color coded red or gray handle. Floor brushes are available for heavy-duty floor cleaning



#### MOPPING



OmniClean™ or Unger Excella® flat mopping systems provide the most efficient tools for cleaning floors. OmniClean compact cart can be separated from larger cart to clean small areas

#### TOILET CLEANING



Unger toilet brush has a 26-inch long handle that increases brush reach and reduces exposure to contaminants

#### ERGONOMICALLY DESIGNED



#### SURFACE CLEANING



Stingray® and SpeedClean™ systems both quickly and easily clean windows, hard to reach areas, and other surfaces without the use of ladders

#### TRASH COLLECTING



Vinyl Trash Bag & NiftyNabber® for picking up trash

#### DUSTING



StarDuster® Pro Duster has a disposable sleeve that attracts and holds dust over lambswool for cleaning stalls and other high surfaces

#### HANDRAIL

Handrail allows you to maneuver in and out of doorway entrances more efficiently

#### TOWER

Narrow tower design makes it easy to fit through tight doorways and store in most janitorial closets

#### CONVENIENT THREE TIER SHELVING

Provides ample storage space for replenishing supplies

#### CASTER WHEELS

Durable and high quality caster wheels are quiet, non-marking and maneuverable



Quality Tools for Smart Cleaning™

# JANITORIAL CART SYSTEMS

## A janitorial cart for every need

### OVERVIEW JANITORIAL CART SYSTEMS

#### STANDARD CLEANING CART

Standard cart with clips and vinyl trash bag

#### ZoneCleanRx™ JANITORIAL CART

Configured for your general cleaning needs and light duty cleaning

#### SpotCleanRx™ JANITORIAL CART


Spot cleaning spills and high traffic areas throughout the day

#### DeepCleanRx™ JANITORIAL CART

For end of day, deep cleaning janitorial duties



| JANITORIAL CART SYSTEMS                   | Part No. | STANDARD | ZONE CLEAN Rx™ | SPOT CLEAN Rx™ | DEEP CLEAN Rx™ |
|-------------------------------------------|----------|----------|----------------|----------------|----------------|
| Part No. (SYSTEMS)                        |          | RRCRT    | CRTZN          | CRTSP          | CRTDC          |
| Unger Rx Cleaning Cart (Clips, Trash Bag) | RRCRT    | ✓        | ✓              | ✓              | ✓              |
| OmniClean Dual Bucket Kit Straight Pole   | CLBK1    |          |                |                | ✓              |
| Stingray Refillable System Microfiber 11' | SRKB4    |          |                |                | ✓              |
| (4) Stingray Clips                        | 23272    |          |                |                | ✓              |
| NiftyNabber 36" / 93 cm                   | NT090    |          | ✓              | ✓              | ✓              |
| Toilet Brush Handle with 2 Brush Heads    | BBCOR    |          | ✓              | ✓              | ✓              |
| Toilet Brush Holder with Clip             | 21463    |          | ✓              | ✓              | ✓              |
| StarDuster Pro Duster with Sleeve         | LWDUR    |          | ✓              | ✓              | ✓              |
| Ergo Dustpan Telescopic Gray              | EDTBG    |          | ✓              | ✓              | ✓              |
| Unger Excella Floor Cleaning Straight Kit | EFKT8    |          |                | ✓              |                |
| (1) Unger Excella Pole Clip               | 23273    |          |                | ✓              |                |
| Unger Excella Mop Pad Drip Bin            | 23275    |          |                | ✓              |                |
| Unger Excella Dual Bottle Holder          | 21457    |          |                | ✓              |                |
| SpeedClean Starter Kit                    | WKN04    |          | ✓              | ✓              |                |
| Case Qty.                                 |          | 1        | 1              | 1              | 1              |



### **RESTROOMR<sub>x</sub>** Cart System

The **RestroomR<sub>x</sub>** Cart is the first cleaning system designed by custodians to help them work safer, faster and better than ever before. Comprised of three parts, an innovative restroom cart, advanced floor care tools and best in class cleaning accessories, the **RestroomR<sub>x</sub>** Cart System supports the entire process and improves productivity while delivering the highest level of clean.

#### SMART DESIGN

The **UNGER RestroomR<sub>x</sub>** Cart is designed to streamline restroom maintenance with improved posture, easy maneuverability, and efficient tool organization.

#### EASY TO MANEUVER

- The handrail allows you to maneuver the cart in and out of restroom entrances quicker and easier



#### LARGE STORAGE

- With an expanded storage module, you'll minimize trips to the supply closet



#### NARROW DESIGN

- The narrow tool tower design allows all tools to remain within the boundaries of the cart



#### STAY ORGANIZED

- Every tool in the system has a designated position on the cart. Tools are always where they need to be, and always clipped on securely



#### CONTAINED BASE

- The base of the cart also acts as a drip tray catching excess liquid, so nothing ever drips on restroom or hallway floors



*Cleaning chemicals and paper supplies not included*



## A restroom cart for every need

### OVERVIEW RESTROOM CART SYSTEMS

#### RestroomRx CLEANING SPECIALIST SYSTEM COMPLETE

RestroomRx Carts come equipped with everything needed to clean restroom facilities

#### RxOmni CLEANING SYSTEM

This turnkey and organized RestroomRx Cart features the Unger Excella Pole



| CLEANING SYSTEMS                            | Part No. | RestroomRx™ CLEANING SPECIALIST |        | RxOmni             |                  |
|---------------------------------------------|----------|---------------------------------|--------|--------------------|------------------|
| Part No. (SYSTEMS)                          |          | RRSPL                           | RRSPC  | RRBK1              | RRBK2            |
| Dual Mop Bucket Capacity / Pole Type        |          | 32 QT.                          | 16 QT. | Straight Pole Only | Offset Pole Only |
| Unger Rx Cleaning Cart (Clips, Trash Bag)   | RRCRT    | ✓                               | ✓      | ✓                  | ✓                |
| Dual-Compartment Mop Bucket - 32 Qt. / 30 L | COMBR    | ✓                               |        |                    |                  |
| Dual-Compartment Mop Bucket - 16 Qt. / 15 L | COMSR    |                                 | ✓      |                    |                  |
| EZ Mop Holder                               | SM40R    | ✓                               | ✓      |                    |                  |
| Ergo TelePole Compact - 6' / 1.8 m          | EP18R    | ✓                               | ✓      |                    |                  |
| Unger Excella Straight Pole                 | CLEF1    |                                 |        | ✓                  |                  |
| Unger Excella Offset Pole                   | EFPL2    |                                 |        |                    | ✓                |
| Micro Mop 15.0 - Red                        | MM40R    | ✓                               | ✓      |                    |                  |
| Ergo Toilet Bowl Brush Complete             | BBWHR    | ✓                               | ✓      |                    |                  |
| OmniClean Mop Pad Holder - 16" / 41 cm      | CLMPH    |                                 |        | ✓                  | ✓                |
| (5) OmniClean Microfiber Pads - 16" / 41 cm | CLMFP    |                                 |        | ✓                  | ✓                |
| Ergo TelePole Compact - 6' / 1.8 m          | EP18R    |                                 |        | ✓                  | ✓                |
| Ergo Toilet Bowl Handle & Brush             | BBCOR    |                                 |        | ✓                  | ✓                |
| Easy Adapter Hose                           | WH180    | ✓                               | ✓      | ✓                  | ✓                |
| StarDuster Pro Duster with Sleeve           | LWDUR    | ✓                               | ✓      | ✓                  | ✓                |
| Ergo Dustpan Telescopic - Red               | EDTBR    | ✓                               | ✓      | ✓                  | ✓                |
| NiftyNabber 20" / 52 cm - Red               | NN40R    | ✓                               | ✓      | ✓                  | ✓                |
| (2) ErgoTec Locking Cone - Red              | NCANR    | ✓                               | ✓      | ✓                  | ✓                |
| Swivel Corner Brush                         | CB20G    | ✓                               | ✓      | ✓                  | ✓                |
| Swivel Brush                                | SB20G    | ✓                               | ✓      | ✓                  | ✓                |
| Case Qty.                                   |          | 1                               | 1      | 1                  | 1                |

### PRO RESTROOM CLEANING KIT - FLAT MOP

| Part No. | Dual Mop Bucket Capacity | Case Qty. |
|----------|--------------------------|-----------|
| RRPRO    | 32 Qt. / 30 L            | 1         |

- COMBR Dual Bucket - 32 Qt. / 30 L
- MS14G Knock Down Mop Handle
- BBWHR Ergo Toilet Bowl Brush - Complete
- S0ABG Sprayer On A Belt
- MF40R (5) MicroWipe Heavy Duty - Red
- MM40R Micro Mop 15.0 - Red
- SM40R EZ Flat Mop Holder - Red
- Training material

### RESTROOM FLOOR PACK

| Part No. | Dual Mop Bucket Capacity | Case Qty. |
|----------|--------------------------|-----------|
| SMFPR    | 32 Qt. / 30 L            | 1         |

- COMBR Dual Bucket - 32 Qt. / 30 L
- MM40R Micro Mop 15.0 - Red
- SM40R EZ Flat Mop Holder - Red
- EP24R Ergo Tele-Pole - 8' / 2.4 m - Red

### RESTROOM COMPLETE MOP PACK

| Part No. | Case Qty. |
|----------|-----------|
| SMCMR    | 1         |

- MM40R Micro Mop 15.0 - Red
- SM40R EZ Flat Mop Holder - Red
- EP24R Ergo Tele-Pole - 8' / 2.4 m - Red

### ERGO DUSTPAN

| Part No. | Size                   | Color | Case Qty. |
|----------|------------------------|-------|-----------|
| EDPBR    | 33" x 12" / 83 x 30 cm | Red   | 6         |

- For quick removal of debris without bending
- Fixed height, ergonomic handle minimizes hand and wrist strain
- Broom attaches to dustpan handle for easy storage and retrieval
- Swivel dustpan opens when base hits floor and collapses without spilling its contents

### SmartColor™ ERGO DUSTPAN TELESCOPIC

| Part No. | Size                    | Color | Case Qty. |
|----------|-------------------------|-------|-----------|
| EDTBG    | 45" x 12" / 114 x 30 cm | Gray  | 6         |
| EDTBR    | 45" x 12" / 114 x 30 cm | Red   | 6         |

- For quick removal of debris without bending
- Telescopic feature allows adjustable handles to be raised up to 10' / 25 cm to accommodate worker's height
- Ergonomic handle minimizes hand and wrist strain
- Broom attaches to dustpan handle for easy storage and retrieval
- Swivel dustpan opens when base hits floor and collapses without spilling its contents




PRO RESTROOM CLEANING KIT - FLAT MOP RRPRO



RESTROOM FLOOR PACK SMFPR

RESTROOM COMPLETE MOP PACK SMCMR



ERGO DUSTPAN EDPBR

SmartColor™ ERGO DUSTPAN TELESCOPIC - GRAY EDTBG

SmartColor™ ERGO DUSTPAN TELESCOPIC - RED EDTBR



Quality Tools for Smart Cleaning™

**RESTROOMRX™**  
A HIGHER LEVEL OF CLEAN



#### SmartColor™ WASHER 15.0 RED

| Part No. | Size        | Version | Case Qty. |
|----------|-------------|---------|-----------|
| NS45R    | 18" / 45 cm | Sleeve  | 10        |

- Microfiber sleeve for cleaning restroom mirrors, stalls, and walls
- Long-lasting, durable, 15.0 mm pile can penetrate small surfaces and remove dirt
- Absorbs up to six times its own weight of quick liquid pickup
- For use with 18" T-Bars, sold separately



#### ERGO WALL SQUEEGEE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EW35R    | 14" / 35 cm | 10        |

- Dry or remove cleaning solutions in one quick step
- White, non-marking moss rubber is ideal for drying grout lines
- T-bar material made of acid-proof polypropylene
- Ergonomic handle can attach to Ergo TelePole (EP24R) or Ergo Pole (HH13R)



#### NiftyNabber™

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NN40R    | 20" / 52 cm | 5         |

- Hygienic all-purpose grabber
- Keeps hands away from debris with its 20" / 52 cm long handle
- Ergonomically designed grip with smooth trigger-pull action for increased comfort and efficiency
- Access hard-to-reach areas or items with 360° rotating head
- Magnetic tip for picking up metal objects

#### ERGO TOILET BOWL BRUSH REPLACEMENT HEADS

| Part No. | Contents        | Case Qty. |
|----------|-----------------|-----------|
| BBRHR    | Two Brush Heads | 5         |
| BSRHR    | Two Swab Heads  | 5         |



- Longer handle means no bending



Brush Head



Swab Head

#### ERGO TOILET BOWL BRUSH COMPLETE

| Part No. | Type                               | Case Qty. |
|----------|------------------------------------|-----------|
| BBWHR    | Handle, Holder and Two Brush Heads | 5         |
| BSWHR    | Handle, Holder and Two Swab Heads  | 5         |

- Ergonomic toilet brush/swab featuring a 26" / 66 cm handle for improved worker safety
- Hygienic, ergonomic holder is lightweight and keeps bacteria isolated
- Holder can be hand-carried or hung on cart and features a detachable base for easy emptying

#### ERGO TOILET BOWL BRUSH HANDLE

| Part No. | Type                        | Case Qty. |
|----------|-----------------------------|-----------|
| BBCOR    | Handle with Two Brush Heads | 5         |
| BSCOR    | Handle with Two Swab Heads  | 5         |

- Increased productivity with 26" / 66 cm long handle and replaceable brush heads that provide a 360° cleaning surface
- Nylon bristle heads dry quickly
- Bowl cleaner can be applied directly to swab inside bowl for effective cleaning



FEATURED PRODUCT

pg. 64



Unger OmniClean™ DUAL BUCKET KIT

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| CLBK1    | Straight  | 1         |

Traditional mop systems can't fully clean due to outdated designs, leaving behind dirt and germs. **UNGER** offers innovative floor care solutions tailored to your facility's needs, including equipment for all hard surfaces like hardwood, vinyl, and tile.

LEARN MORE HERE



EFFICIENT, SAFE, AND EASY


## Floor mopping systems

### OVERVIEW OF MOPPING PROCESSES

|                                                                                     |                                                                                                                   |                                                                                       |                                                                            |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
|   |                                |   |                                                                            |
|  |                               |  |                                                                            |
| IDEAL CLEANING LOCATIONS                                                            | Smaller floor surfaces with less open area such as cafeterias, dining rooms, and restrooms. Perfect for stairways | Small and medium surface areas like offices, classrooms, and convenience stores       | Larger surface areas like hallways, corridors, main lobby, and school gyms |
| BEST APPLICATION                                                                    | Light, medium and spot cleaning                                                                                   | Medium to heavy traffic and small spills                                              | Heavy traffic, large spills                                                |
| BUCKET REQUIRED                                                                     | No                                                                                                                | Yes (unless using spot kits)                                                          | Yes                                                                        |
| MOP MAINTENANCE                                                                     | Change pads after saturation, room to room, or soil level                                                         | Wringing and switch out pads after saturation, room to room, or soil level            | Wringing and switch out pads after saturation, room to room, or soil level |
| SURFACE TYPE                                                                        | Vinyl, tile, concrete, linoleum, rubber and laminate flooring                                                     |                                                                                       |                                                                            |

### OVERVIEW FLOOR CLEANING - WET MOPPING

Our product guide below will help you to identify the best set of tools for keeping your floor clean.

| Mops / Pads                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Mop Holders                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Mop Buckets                                                                                                                                                                                               |                                                                 | Poles                                                                                                                  |              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>Excella Mops</b><br><b>Pocket Mop</b> <b>Micro Mop</b><br><br><b>SmartColor Spill Mop 1L</b><br><br><b>SmartColor Micro Mop 15.0</b><br><br><b>SmartColor Micro Mop 7.0</b><br><br><b>SmartColor RoughMop ST30</b><br><br><b>SmartColor RoughMop ST45</b><br> | <b>Excella Pocket Mop Holder</b><br><br><b>SmartColor EZ Flat Mop Holder</b><br><br><br><b>SmartColor String Mop Holder</b><br> | <b>SmartColor Dual Buckets</b><br><br> | <p>p. 68-69</p> <p>p. 71-73</p> <p>p. 71-73</p> <p>p. 73</p>    | <b>Mop Poles &amp; Handles</b><br> | <p>p. 74</p> |
| <b>Excella Cleaning Pad</b><br><br><b>Disposable Pad Mops</b><br><br><b>SmartColor Scrub Mop Pad</b><br><br><b>OmniClean Microfiber Pad</b><br>                                                                                                                                                                                                                                                                                 | <b>Excella Mop Pad Holder</b><br><br><b>SmartColor Damp Mop Pad Holder</b><br><br><b>OmniClean Mop Pad Holder</b><br>                                                                                         | <b>OmniClean</b><br>                                                                                                   | <p>p. 68-69</p> <p>p. 71-73</p> <p>p. 71-73</p> <p>p. 63-65</p> | <b>Excella Poles</b><br>          | <p>p. 68</p> |



Quality Tools for Smart Cleaning™

# FLOOR CARE SYSTEMS

## How to mop a room efficiently



### METHOD OF MOPPING

Keep floors cleaner and safer than ever with Unger's selection of floor cleaning tools. Choose from a wide selection of microfiber flat mops, pads, and string mops that can handle even the toughest jobs.

To get the most out of a microfiber mop, begin by outlining the space to be cleaned. Then, starting in the corner furthest from the exit, walk backwards creating an overlapping "S" motion with the mop. Adjusting the height of the mop to the individual user is important to avoid strain and maintain proper form.





### How does the OmniClean work to truly clean floors?


#### DUAL BUCKET TECHNOLOGY

OmniClean features dual bucket technology to separate clean and dirty solutions, ensuring the StayClean charging bucket is always clean.

**STAND-UP WRINGER**

**STAYCLEAN BUCKET**

**SOIL-CATCHING BUCKET**



#### HYGIENIC CLEANING AND HIGHER PRODUCTIVITY



**CLEANER:** 2 times more effective at removing microbes\* than traditional floor cleaning systems



**FASTER:** Over 40% more efficient than conventional floor cleaning systems



**SAFER:** Cleaned surfaces dry twice as fast\* minimizing the risk of accidents

#### COTTON VS. MICROFIBER

Black light experiment reveals the advantages of using microfiber flat mops vs. cotton string mops



**VS.**



#### COTTON STRING MOP

Cotton string mop pushes dirt around

#### MICROFIBER FLAT MOP

Microfiber flat mop removes dirt

\*Independent test report from Sitemark® FM Best Practice Benchmarking, Sept. 2020



## Clean floors safer and faster with OmniClean

### OVERVIEW OMNICLEAN CART SYSTEMS



| OMNICLEAN CART SYSTEMS               | Part No. | DUAL BUCKET STRAIGHT KIT | DUAL BUCKET OFFSET KIT | RESTROOM OFFSET KIT | SPOT OFFSET KIT |
|--------------------------------------|----------|--------------------------|------------------------|---------------------|-----------------|
| Part No. [SYSTEMS]                   |          | CLBK1                    | CLBK2                  | CLRRK               | CLSPK           |
| Unger Excella Straight Pole          | CLEF1    | ✓                        |                        |                     |                 |
| Unger Excella Offset Pole            | EFPL2    |                          | ✓                      |                     |                 |
| Offset Pole with Actuator            | EFPL1    |                          |                        | ✓                   | ✓               |
| (2) Large Bottles 34 oz / 1 L        | EFBTL    |                          |                        | ✓                   | ✓               |
| Excella Bottle Holder Clip           | 21457    |                          |                        | ✓                   | ✓               |
| Pad Holder                           | CLMPH    | ✓                        | ✓                      | ✓                   | ✓               |
| (2) Microfiber Pads                  | CLMFP    | ✓                        | ✓                      | ✓                   | ✓               |
| DustPan Telescopic - red             | EDTBR    |                          |                        | ✓                   |                 |
| DustPan Telescopic - gray            | EDTBG    |                          |                        |                     | ✓               |
| DustPan Holder Clip                  | 21458    |                          |                        | ✓                   | ✓               |
| Toilet Brush Handle w/ 2 brush heads | BBCOR    |                          |                        | ✓                   |                 |
| NiftyNabber Red 20" / 52 cm          | NN40R    |                          |                        | ✓                   |                 |
| (2) SmartColor Rectangular Labels    | SCCS0    | ✓                        | ✓                      | ✓                   | ✓               |
| Carriage with Wringer                | 21483    | ✓                        | ✓                      | ✓                   | ✓               |
| Gray Bucket - 1.5 gal / 5.7 L        | 21375    | 2x                       | 2x                     | ✓                   | ✓               |
| Blue StayClean Guide                 | 21387    | ✓                        | ✓                      |                     |                 |
| Gray Scrub Board                     | 21533    | ✓                        | ✓                      |                     | ✓               |
| Gray Bucket Handle                   | 21531    | ✓                        | ✓                      |                     | ✓               |
| Blue StayClean Bucket Handle         | 21526    | ✓                        | ✓                      |                     |                 |
| Red Bucket Handle                    | 21527    |                          |                        | ✓                   |                 |
| Offset Carriage Handle               | 21484    | ✓                        | ✓                      | ✓                   | ✓               |
| Nifty Nabber Holder Clip             | 17997    |                          |                        | ✓                   |                 |
| Storage Caddy                        | 21462    |                          |                        | ✓                   | ✓               |
| Storage Bin                          | 21460    |                          |                        |                     | 2x              |
| Toilet Brush Holder Clip             | 21463    |                          |                        | ✓                   |                 |
| Excella Clip                         | 21805    |                          |                        | ✓                   | ✓               |
| (4) Casters                          | 17891    | ✓                        | ✓                      | ✓                   | ✓               |
| (4) Color-coded rings                | FA0RS    |                          |                        | ✓                   | ✓               |
| Case Qty.                            |          | 1                        | 1                      | 1                   | 1               |



### Unger OmniClean MOP PAD HOLDER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| CLMPH    | 16" / 40 cm | 1         |

- 16" Aluminum mop holder
- Securely holds 16" mop pads for optimal performance
- Lightweight construction makes it easy to maneuver
- Compatible with the OmniClean system



### OmniClean MICROFIBER PAD (5)

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| CLMFP    | 16" / 40 cm | 1         |

- Color coding tabs to prevent cross-contamination
- 7 mm looped pile microfiber pad
- Wash Cycles: 300



### Unger Excella® BOTTLE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EFBTL    | 34 oz / 1 L | 6         |

- (See p. 69 for more info.)



### Unger Excella® BOTTLE COLOR CODING RING (4 PACK)

| Part No. | For use with | Case Qty. |
|----------|--------------|-----------|
| FA0RS    | EFBTL        | 1         |


- (See p. 74 for more info.)



### SmartColor™ RECTANGULAR LABELS (2)

| Part No. | Case Qty. |
|----------|-----------|
| SCCS0    | 1         |

- (See p. 74 for more info.)



### Unger Excella® OFFSET POLE WITH ACTUATOR

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL1    | Offset    | 1         |

### Unger Excella® STRAIGHT POLE WITH ACTUATOR

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL4    | Straight  | 1         |

### Unger Excella® OFFSET POLE

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL2    | Offset    | 1         |

### Unger Excella® STRAIGHT POLE

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL3    | Straight  | 1         |



### ERGO DUST PAN TELESCOPIC

| Part No. | Color | Case Qty. |
|----------|-------|-----------|
| EDTBR    | Red   | 6         |
| EDTBG    | Gray  | 6         |

- (See p. 58 for more info.)



### NiftyNabber® RED

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| NN40R    | 20" / 52 cm | 5         |

- (See p. 58 for more info.)



### TOILET BRUSH HANDLE WITH 2 BRUSH HEADS

| Part No. | Case Qty. |
|----------|-----------|
| BBCOR    | 5         |

- (See p. 58 for more info.)



Quality Tools for Smart Cleaning™



## Ultra-fast, ergonomic floor mopping and finishing

### ADVANTAGES



#### READY-TO-GO AT ANY TIME AND ANYWHERE

- Ready-to-use immediately
- No lengthy preparation, such as filling buckets, required
- Cleaning solution can be replaced in a matter of seconds



#### INCREASED PRODUCTIVITY WITH FATIGUE-FREE WORK

- Reduces the extreme strain placed upon employees and prevents work-related musculoskeletal injuries
- No lifting and carrying of heavy buckets



#### A TOP-QUALITY PROFESSIONAL TOOL

- Quality material guarantees a long service life
- Robust tool for long-term use
- Sophisticated product design for intuitive handling



### Excella Kits Overview

#### UNGER EXCELLA FLOOR CLEANING KITS



| Unger Excella® KITS         | Part No. | STARTER STRAIGHT KIT | STARTER OFFSET KIT | FLOOR CLEANING STRAIGHT KIT | FLOOR CLEANING OFFSET KIT | FLOOR CLEANING OFFSET KIT |
|-----------------------------|----------|----------------------|--------------------|-----------------------------|---------------------------|---------------------------|
| Part No. (KITS)             |          | EFHC2                | EFHC1              | EFKT8                       | EFKT1                     | EFKT2                     |
| Length                      |          | 18"                  | 18"                | 18"                         | 18"                       | 24"                       |
| Straight Pole with Actuator | EFPL4    | ✓                    |                    | ✓                           |                           |                           |
| Offset Pole with Actuator   | EFPL1    |                      | ✓                  |                             | ✓                         | ✓                         |
| Mop Pad Holder - 18"/45 cm  | EF40B    | ✓                    | ✓                  | ✓                           | ✓                         |                           |
| Mop Pad Holder - 24"/60 cm  | EF60B    |                      |                    |                             |                           | ✓                         |
| Cleaning Pad - 20"/51 cm    | EF40M    |                      |                    | 2x                          | 2x                        |                           |
| Cleaning Pad - 26"/66 cm    | EF60M    |                      |                    |                             |                           | 2x                        |
| Large Bottle - 34 oz / 1 L  | EFBTL    | ✓                    | ✓                  | 2x                          | 2x                        | 2x                        |
| Color Coded Rings (4)       | FAORS    | ✓                    | ✓                  | ✓                           | ✓                         | ✓                         |
| Case Qty.                   |          | 1                    | 1                  | 1                           | 1                         | 1                         |

#### UNGER EXCELLA FLOOR CLEANING MOP PACKS



| Unger Excella® MOP PACKS                       | Part No. | FLOOR CLEANING MOP PACK | FLOOR CLEANING POCKET MOP KIT | FLOOR CLEANING BUCKET PACK | FLOOR CLEANING BUCKET PACK |
|------------------------------------------------|----------|-------------------------|-------------------------------|----------------------------|----------------------------|
| Part No. (KITS)                                |          | EFKT6                   | EFKT5                         | EFKT7                      | EFK10                      |
| Length                                         |          | 16"                     | 16"                           | 16"                        | 16"                        |
| Offset Pole                                    | EFPL2    | ✓                       |                               | ✓                          | ✓                          |
| Offset Pole with Actuator                      | EFPL1    |                         | ✓                             |                            |                            |
| Pocket Mop Holder - 18"/45 cm                  | EFPMH    | ✓                       | ✓                             | ✓                          | ✓                          |
| Pocket Mop - 16"/40 cm                         | EFPMH    |                         | 2x                            |                            |                            |
| Large Bottle - 34 oz / 1 L                     | EFBTL    |                         | 2x                            |                            |                            |
| Color Coded Rings (4)                          | FAORS    |                         | ✓                             |                            |                            |
| SmartColor™ Dual Bucket - 32 Qt. / 30 L - Gray | COMBG    |                         |                               | ✓                          |                            |
| SmartColor™ Dual Bucket - 32 Qt. / 30 L - Red  | COMBR    |                         |                               |                            | ✓                          |
| Case Qty.                                      |          | 1                       | 1                             | 1                          | 1                          |

## UNGER EXCELLA FLOOR FINISHING KITS



| Unger Excella® KITS              | Part No. | FLOOR FINISHNG<br>STRAIGHT KIT | FLOOR FINISHING<br>OFFSET KIT | FLOOR FINISHING<br>OFFSET KIT |
|----------------------------------|----------|--------------------------------|-------------------------------|-------------------------------|
| Part No. [KITS]                  |          | EFKT9                          | EFKT3                         | EFKT4                         |
| Length                           |          | 18"                            | 18"                           | 24"                           |
| Straight Pole with Actuator      | EFPL4    | ✓                              |                               |                               |
| Offset Pole with Actuator        | EFPL1    |                                | ✓                             | ✓                             |
| Mop Pad Holder - 18"/45 cm       | EF40B    | ✓                              | ✓                             |                               |
| Mop Pad Holder - 24"/60 cm       | EF60B    |                                |                               | ✓                             |
| Finishing Pad - 20"/51 cm        | EF40F    | 2x                             | 2x                            |                               |
| Finishing Pad - 26"/66 cm        | EF60F    |                                |                               | 2x                            |
| Large Bottle - 34 oz / 1 L       | EFBTL    | 2x                             | 2x                            | 2x                            |
| Color Coded Rings (4)            | FAORS    | ✓                              | ✓                             | ✓                             |
| Backpak Complete - 1.3 gal / 5 L | EFBAP    | ✓                              | ✓                             | ✓                             |
| Case Qty.                        |          | 1                              | 1                             | 1                             |

## EXCELLA ACCESSORIES



### Unger Excella® OFFSET POLE WITH ACTUATOR

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL1    | Offset    | 1         |

### Unger Excella® STRAIGHT POLE WITH ACTUATOR

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL4    | Straight  | 1         |

### Unger Excella® OFFSET POLE

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL2    | Offset    | 1         |

### Unger Excella® STRAIGHT POLE

| Part No. | Pole Type | Case Qty. |
|----------|-----------|-----------|
| EFPL3    | Straight  | 1         |



### Unger Excella® CLEANING PAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EF40M    | 20" / 51 cm | 5         |
| EF60M    | 26" / 66 cm | 5         |

- Microfiber pad made of durable 100% polyester microfiber with a 10mm looped pile
- Color coding tabs to prevent cross-contamination
- Hook and loop backing securely attaches to Unger Excella Mop Pad Holder
- Wash Cycles: 300



### Unger Excella® POCKET MOP

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EFPM     | 16" / 40 cm | 5         |

- Microfiber pad made of durable 100% polyester microfiber with a 10mm looped pile
- Color coding tabs to prevent cross-contamination
- Stitched pockets securely attaches to pocket mop holder
- Wash Cycles: 300



### Unger Excella® MOP HOLDER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EF40B    | 18" / 45 cm | 5         |
| EF60B    | 24" / 60 cm | 5         |


- Durable aluminum build for long-term use in tough environments
- Securely holds mop pads for smooth cleaning
- Lightweight design reduces fatigue during extended use
- Compatible with various mop pads for versatile cleaning



### Unger Excella® POCKET MOP HOLDER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EFPMH    | 16" / 40 cm | 5         |

- Secures pocket mop pads to prevent slipping
- Durable for heavy, commercial use
- Lightweight for easy handling and less fatigue



### Unger Excella® RESTROOM CLEANING PAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EF40R    | 20" / 51 cm | 5         |

- Microfiber pad made of durable 100% polyester microfiber with a 10mm looped pile
- Color-coded to prevent cross-contamination
- Hook and loop backing securely attach to Unger Excella Mop Pad Holder
- Wash Cycles: 300



### Unger Excella® MICRO MOP 10.0

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EFPMG    | 16" / 40 cm | 5         |

- 10mm looped pile cleaning pad with maximum gliding ability and great dirt absorption
- Made of durable 100% polyester microfiber
- Color coding tabs to prevent cross contamination
- For use with Mop Holder SM40G / SM40R & EFPMH
- Wash Cycles: 300



### Unger Excella® FINISHING PAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| EF40F    | 20" / 51 cm | 5         |
| EF60F    | 26" / 66 cm | 5         |

- Finishing pad with lint-free material
- Evenly distributes floor finishing product
- Hook and loop backing securely attaches to Unger Excella Mop Pad Holder
- Wash Cycles: 300



### Unger Excella® BOTTLE

| Part No. | Capacity    | Case Qty. |
|----------|-------------|-----------|
| EFBTL    | 34 oz / 1 L | 6         |

- High precision dispensing mechanism and nozzle
- Refillable bottle with filling level measurement guide
- No clogging or flushing required
- Compatible with EFPL1 & EFPL4



### Unger Excella® BACKPACK COMPLETE

| Part No. | Capacity      | Case Qty. |
|----------|---------------|-----------|
| EFBAP    | 1.3 Gal / 5 L | 1         |

- Backpack with soft and thick shoulder straps for comfort
- Integrated waist belt for a secure fit
- Includes a 1.3 gal / 5 L refillable pouch, hose, and nozzle assembly
- Fill with preferred solution

## Dual Bucket System: increase productivity and improve hygiene

### DUAL BUCKET TECHNOLOGY

**UNGER'S** commercial floor cleaning buckets feature a dual-bucket system that keeps floors cleaner and safer than ever.

This system consists of two separate compartments: one for rinsing the dirty mop and one for holding clean cleaning solution. The rinse compartment collects the dirt from the mop, preventing it from contaminating the clean solution. As a result, the clean water stays cleaner longer, ensuring more effective and hygienic floor cleaning.

Available in three colors: gray for general use and red for restroom only use.

### EASY TO EMPTY


- Rear-mounted dump spout or quick-release drain spout (32 Qt only)

### DUAL COMPARTMENT BUCKET SYSTEM

- Separates clean and dirty solution

### MOLDED DIVIDER

- Ensures no cross contamination



### SEPARATE COMPARTMENTS

1. Immerse mop in front compartment for fresh cleaning solution
2. Wring and rinse soiled mop in rear compartment to release dirt

# FLOOR CARE

## DUAL BUCKETS



### SmartColor™ DUAL BUCKET - 16 QT. / 15 L

| Part No. | Capacity      | Color | Case Qty. |
|----------|---------------|-------|-----------|
| COMSG    | 16 Qt. / 15 L | Gray  | 1         |
| COMSR    | 16 Qt. / 15 L | Red   | 1         |

- Dual-compartment bucket system that separates clean and dirty solution
- Easy-to-read fill guide for accurate chemical dilution
- Ideal for smaller spaces, limited storage areas, and stairs



### SmartColor™ DUAL BUCKET - 32 QT. / 30 L

| Part No. | Capacity      | Color  | Case Qty. |
|----------|---------------|--------|-----------|
| COMBG    | 32 Qt. / 30 L | Gray   | 1         |
| COMBR    | 32 Qt. / 30 L | Red    | 1         |
| COMBY    | 32 Qt. / 30 L | Yellow | 1         |

- Dual-compartment bucket system that separates clean and dirty solution
- Empty using a rear-mounted dump spout or quick-release drain spout



### SmartColor™ SIDE BUCKET

| Part No. | Size          | Case Qty. |
|----------|---------------|-----------|
| SMSBG    | 8.75" / 22 cm | 1         |

- Additional storage snaps onto side of SmartColor Dual Bucket - 32 Qt. / 30 L - (Sold separately)
- Includes SmartColor Decal Kit to customize for designated areas or tasks



### SmartColor™ FLOOR CLEANING KIT - 32 QT. / 30 L

| Part No. | Capacity      | Case Qty. |
|----------|---------------|-----------|
| FMK01    | 32 Qt. / 30 L | 1         |

**Convenient, durable floor care set, perfect for professional floor care. Includes SmartColor Decal Kit to customize for designated areas or tasks**

#### Includes:

- COMBG SmartColor Dual Bucket - 32 Qt. / 30 L - Gray
- MS14G Mop Handle 140 KD
- SM40G SmartColor EZ Flat Mop Holder
- MM40R SmartColor Micro Mop 15.0 - Red
- MD40B SmartColor MicroMop 7.0 - Blue
- BBWHR Ergo Toilet Bowl Brush w/Holder
- MF40B (5) MicroWipe Heavy Duty - Blue
- MF40R (5) MicroWipe Heavy Duty - Red



### SmartColor™ FLOOR PACK - 32 QT. / 30 L

| Part No. | Capacity      | Case Qty. |
|----------|---------------|-----------|
| SCFPG    | 32 Qt. / 30 L | 1         |

#### Convenient, durable floor care starter set

- Select a microfiber flat mop from Unger's wide range of products (not included)
- Includes SmartColor Decal Kit to customize for designated areas or tasks
- Fits Unger 16" 7.0 and 15 mm pile, Excella 16" 10mm, and Spill Mop 14mm pile mop pads as well as other 16" flat mop pads (not included)
- **Includes:**
  - COMBG SmartColor Dual Bucket - 32 Qt. / 30 L - Gray
  - EZ25G SmartColor Tele-Pole 250
  - SM40G SmartColor EZ Flat Mop Holder



### EASY ADAPTER HOSE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| WH180    | 6' / 183 cm | 10        |

- Fits onto standard faucet for safer, easier bucket filling
- Hose remains firmly in place, will not detach from faucet



Quality Tools for Smart Cleaning™

# MOP PADS



## SmartColor™ MICRO MOP - 15.0

| Part No. | Size        | Color  | Case Qty. |
|----------|-------------|--------|-----------|
| MM40R    | 16" / 40 cm | Red    | 5         |
| MM40Y    | 16" / 40 cm | Yellow | 5         |
| MM40G    | 16" / 40 cm | Green  | 5         |
| MM40B    | 16" / 40 cm | Blue   | 5         |

### Heavy-duty 15 mm pile microfiber for stone and tile floors with grout lines

- Features aggressive cleaning edges that clean with less water, less effort
- For use with Mop Holder SM40G / SM40R & EFPMH
- Wash Cycles: 500



## Unger Excella™ MICRO MOP 10.0

| Part No. | Size        | Color | Case Qty. |
|----------|-------------|-------|-----------|
| EFPMG    | 16" / 40 cm | Gray  | 5         |

### 10mm looped pile cleaning pad with maximum gliding ability and great dirt absorption

- Made of durable 100% polyester microfiber
- Color coding tabs to prevent cross contamination
- For use with Mop Holder SM40G, SM40R, & EFPMH
- Wash Cycles: 300




## SmartColor™ SCRUB MOP PAD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SCMPD    | 20" / 51 cm | 5         |

### Microfiber pad made of durable 100% polyester microfiber with a 7mm looped pile

- Color coding tabs to prevent cross-contamination
- For use with hook & loop mop holders including Unger Excella and Unger Damp Mop Pad Holder
- Wash cycles: 300



## SmartColor™ MICRO MOP - 7.0

| Part No. | Size        | Color | Case Qty. |
|----------|-------------|-------|-----------|
| MD40R    | 16" / 40 cm | Red   | 5         |
| MD40G    | 16" / 40 cm | Green | 5         |
| MD40B    | 16" / 40 cm | Blue  | 5         |

### Medium-duty 7 mm pile microfiber for vinyl or sealed floors without grout lines

- Features aggressive cleaning edges that clean with less water, less effort
- For use with Mop Holder SM40G / R & EFPMH
- Wash Cycles: 500



## SmartColor™ SPILL MOP 1 L

| Part No. | Size        | Color | Case Qty. |
|----------|-------------|-------|-----------|
| MA450    | 16" / 40 cm | White | 5         |

### Extra absorbent microfiber, with large surface area and 14 mm pile

- Absorbs up to one liter of liquid
- For use with Mop Holder SM40G, SM40R, & EFPMH
- Wash Cycles: 500



## DISPOSABLE MOP PAD (50 PK)

| Part No. | Size          | Case Qty. |
|----------|---------------|-----------|
| DMWS2    | 18.5" / 47 cm | 1         |

### Single use disposable pads prevent cross-contamination risks with a new pad for each use

- No need to launder disposable pads
- Cleans floors evenly and allows for consistent dwell times when using disinfectants
- For use with hook & loop mop holders including EF40B and SV40G



### SmartColor™ ROUGHMOP ST45 SERIES

| Part No. | Color  | Strand Count | Weight        | Case Qty. |
|----------|--------|--------------|---------------|-----------|
| ST45R    | Red    | 32 Strands   | 16 oz / 450 g | 5         |
| ST45Y    | Yellow | 32 Strands   | 16 oz / 450 g | 5         |
| ST45G    | Green  | 32 Strands   | 16 oz / 450 g | 5         |
| ST45B    | Blue   | 32 Strands   | 16 oz / 450 g | 5         |

- Double-sided microfiber tube mop
- Cleaning power increased with 6" / 15 cm scrub pad material on headband
- Wash Cycles: 500



### SmartColor™ STRING MOP HOLDER

| Part No. | Case Qty. |
|----------|-----------|
| FC03G    | 5         |

- Heavy-duty clamp-style mop holder
- For use with all SmartColor Microfiber String mop series
- Use with poles 21-23 mm in diameter



### SmartColor™ EZ FLAT MOP HOLDER

| Part No. | Size        | Color | Case Qty. |
|----------|-------------|-------|-----------|
| SM40R    | 16" / 40 cm | Red   | 5         |
| SM40G    | 16" / 40 cm | Gray  | 5         |

- Flat mop holder with pivoting, low-profile head
- Large surface provides more direct cleaning contact, more scrubbing pressure
- Easily collapses with the touch of a button to rinse or change mop head
- Use handle socket with nylon-threaded cone or tapered handles from 21-23 mm in diameter



### SmartColor™ ROUGHMOP ST30 SERIES

| Part No. | Color | Strand Count | Weight        | Case Qty. |
|----------|-------|--------------|---------------|-----------|
| ST30R    | Red   | 22 Strands   | 11 oz / 300 g | 5         |
| ST30G    | Green | 22 Strands   | 11 oz / 300 g | 5         |
| ST30B    | Blue  | 22 Strands   | 11 oz / 300 g | 5         |

- Double-sided microfiber tube mop
- Cleaning power increased with 6" / 15 cm scrub pad material on headband
- Wash Cycles: 500



### DAMP MOP PAD HOLDER

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| SV40G    | 18" / 45 cm | 5         |


- Mop holder with swivel head easily glides across floors
- Quickly attaches to SmartColor Damp Mop Pads using Unger "Z" hook & loop fastening technology
- Use with EF40M / EF40R, SCMPD and DMWS2 series mop pads



### WONDER WAXER REPLACEMENT SLEEVE

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| QS010    | 17" / 43 cm | 10        |

- Replacement sleeve made out of washable, low-lint fabric
- Snap fasteners for quick replacement and secure fit



### SmartColor™ EZ FLAT MOP HOLDER

#### "Drop and Mop" Feature

the "no spin" design allows the user to quickly drop the mop down and start working


## The advantages of color-coding

### WHAT IS COLOR CODING?

Every facility is unique, which is why the Unger SmartColor Cleaning System is the first visual coding system designed to adapt to the specific, and changing, needs of your business. As your building's footprint grows or personnel needs fluctuate, SmartColor will keep your business ahead of all its cleaning demands.

SmartColor achieves its distinct color-coding through interchangeable features and durable metallic decals. This gives you the flexibility to easily retask tools for different areas or functions as required.

- Improves Training and Communication
- Prevents Cross-Contamination
- Enhances Building Safety
- Deters Chemical Misuse
- Simplifies Supply Management
- Elevates Employee Performance



### RECOMMENDED USAGE

- Restrooms / High Bacteria Areas
- Specialty Areas / Labs / Gymnasiums
- Food Service Area / Kitchens / Break Rooms
- General Area / Low-Risk Bacteria Area / Offices / Lobbies / Classrooms



### SmartColor™ TELE-POLE 250

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| EZ25G    | 8' / 2.6 m | 10        |

- Convenient 2-section telescoping pole
- Adjustability extends from 4' / 1.3 m to 8' / 2.5 m
- 21 mm diameter
- Lightweight aluminum construction with ergonomic grip
- Includes snap-in Taper / ACME cone adapter for attaching Unger cleaning tools

### ERGO TELE-POLE

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| EP24R    | 8' / 2.5 m | 10        |
| EP18R    | 6' / 1.8 m | 10        |

- Convenient 2-section telescoping handle
- Adjustability extends from 4' / 1.2 m to 6' / 1.8m - 8' / 2.5 m
- 21 mm diameter
- Includes snap-in Taper / ACME cone adapter for attaching Unger cleaning tools & color-coded for restroom use
- Lightweight aluminum construction with ergonomic grip

### MOP HANDLE 140 KD

| Part No. | Size         | Case Qty. |
|----------|--------------|-----------|
| MS14G    | 4.5' / 1.4 m | 10        |

- Compact mop handle "knocked down" for shipping convenience
- Complete 3-section assembly
- 23 mm diameter
- Lightweight aluminum construction with ergonomic grip



### ErgoTec™ LOCKING CONE - RED

| Part No. | Case Qty. |
|----------|-----------|
| NCANR    | 5         |

- Securely locks select Unger tools onto pole
- Fast tool change with quick-release button
- Other tools attach by pressing on, snap on, or screw on



### SmartColor™ SWIVEL BRUSH

| Part No. | Size                | Case Qty. |
|----------|---------------------|-----------|
| SB20G    | 8" x 3" / 20 x 8 cm | 10        |

- Durable polypropylene PET bristles offer superior scrubbing action
- Angled bristles provide optimal cleaning of corners and edges
- ACME threaded handle socket



SmartColor™  
TELE-POLE 250  
EZ25G

MOP  
HANDLE  
140 KD  
MS14G

ERGO  
TELE-POLE  
EP24R

### SmartColor™ SWIVEL CORNER BRUSH

| Part No. | Size         | Case Qty. |
|----------|--------------|-----------|
| CB20G    | 8.6" / 22 cm | 10        |

- Durable polypropylene PET bristles offer superior scrubbing action
- Angled bristles provide optimal cleaning of corners, edges, and grout lines
- Low-profile pivoting head reduces bending and over-reaching
- ACME threaded handle socket





Quality Tools for Smart Cleaning™

# TOOL HOLDERS



## HANG UP

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| H0350    | 14" / 35 cm | 5         |
| H0700    | 28" / 70 cm | 5         |

- Easy access all-purpose tool holder and organizer
- Tools are inserted in the front and held firmly in place by rubber grips
- Snap tools quickly in and out of holder for easy access
- Hanging hardware included



## HOLD UP

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| HU450    | 18" / 45 cm | 5         |
| HU900    | 36" / 90 cm | 5         |

- Tools are inserted from the bottom and held in place by strong rubber fingers
- Equipped with hooks on the front to hang up smaller tools
- Hanging hardware included



### LIGHT-DUTY SCRAPER

| Part No. | Length     | Case Qty. |
|----------|------------|-----------|
| LH12C    | 4' / 1.2 m | 10        |

**For light-duty jobs, aluminum pole with 4" / 10 cm angled zinc alloy head**

- Good for scraping gum, stickers, wax, etc.
- Lightweight with ergonomic grip and hang hole

### REPLACEMENT BLADES-CARBON STEEL

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| RB10C    | 4" / 10 cm | 10        |
| RB30C    | 4" / 10 cm | 30        |

- Reversible sharp/blunt edge carbon steel blades
- Sharp edge for scraping off paint and stickers, and blunt side for removing cement and stucco
- Compact dispenser safely stores new and used blades
- Compatible with SH00C, SH25C, STMAX
- RB10C – Display Box: 100 blades (10 dispensers with 10 blades each)
- RB30C – Display Box: 300 blades (30 dispensers with 10 blades each)

### REPLACEMENT BLADES-STAINLESS STEEL

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| RB100    | 4" / 10 cm | 10        |

- Reversible sharp/blunt edge stainless steel blades
- Sharp edge for scraping off paint and stickers, and blunt side for removing cement and stucco
- Compact dispenser safely stores new and used blades
- Compatible with SH00C, SH25C, STMAX
- Case packaging - 100 blades (10 dispensers of 10 blades each)

### MEDIUM-DUTY SCRAPER

| Part No. | Length     | Case Qty. |
|----------|------------|-----------|
| MDSC0    | 5' / 1.5 m | 10        |

**For medium-duty jobs, aluminum pole with 6" angled zinc alloy head**

- Good for industrial scraping, tape, and heavy dirt
- Ergonomic grip and hang hole

### 6" REPLACEMENT BLADES

| Part No. | Size       | Case Pack            | Case Qty. |
|----------|------------|----------------------|-----------|
| MDSB0    | 6" / 15 cm | 5 Tubes of 10 Blades | 5         |

- For use with MDSC0
- Double-edged .036" / .09 cm thick carbon steel blades

### HEAVY-DUTY SCRAPER

| Part No. | Length     | Case Qty. |
|----------|------------|-----------|
| HDSS0    | 5' / 1.5 m | 1         |

**For heavy-duty jobs, steel pole with 8" angled zinc alloy head**

- Good for stripping tile floors, removing carpets, and heavy-duty adhesives
- 1" / 2.5 cm diameter galvanized steel handle with ergonomic grip and hang hole



For handheld scrapers, go to pages 29-32

### 8" REPLACEMENT BLADES

| Part No. | Size       | Case Qty. |
|----------|------------|-----------|
| HDSB0    | 8" / 20 cm | 5         |

- For use with HDSS0
- Double-edged .036" / .09 cm thick carbon steel blades



Quality Tools for Smart Cleaning™

# PRO ALUMINUM HANDLES

## PRO ALUMINUM 1.5°

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| AL140    | 56" / 1.42 m | 10        |

**Heavy duty handle fits 1.5° taper socket, ideal for WaterWand™ squeegees & other tools for rigorous use**

## PRO ALUMINUM 1.5° KNOCK DOWN

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| AL14G    | 56" / 1.42 m | 10        |

- Heavy duty handle fits 1.5° taper socket.
- Rigid, fluted aluminum construction ideal for WaterWand™ squeegees
- Knock-down design easily disassembles for compact storage and transport



## PRO ALUMINUM ACME

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| AL14A    | 58" / 1.47 m | 10        |

**Heavy duty handle with threaded zinc alloy tip is ideal for Sanitary Squeegees, and other products with ACME universal sockets**

- High-quality, lightweight aluminum with Acme thread compatibility for versatile, long-lasting tool use

## PRO ALUMINUM 3.0°

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| AL14T    | 61" / 1.55 m | 10        |

**Heavy duty handle with ACME threaded zinc alloy tip fits 3.0° taper socket is ideal for AquaDozer squeegees**

- 61", corrosion-resistant design offers extended reach & durability for efficient cleaning in tough commercial settings.



## WaterWand™ ACME INSERT

| Part No. | Case Qty. |
|----------|-----------|
| FWA10    | 10        |


- Easily converts WaterWand squeegees from tapered to an ACME compatible socket for use with either type of handle



## AquaDozer® ACME INSERT

| Part No. | Case Qty. |
|----------|-----------|
| FAA10    | 10        |

- Easily converts AquaDozer squeegees from tapered to an ACME compatible socket for use with either type of handle



## ALUMINUM HANDLE GUIDE

All poles feature a 1" / 2.5 cm diameter anodized aluminum handle with convenient hang-up hole and fluted finish for strength. Ergonomic grip provides a comfortable hold.

| Part No. | Product Description                              |  |
|----------|--------------------------------------------------|--|
| AL140    | <b>Pro Aluminum 1.5°</b><br>• tapered            |  |
| AL14G    | <b>Pro Aluminum 1.5° Knock Down</b><br>• tapered |  |
| AL14A    | <b>Pro Aluminum ACME</b><br>• ACME thread        |  |
| AL14T    | <b>Pro Aluminum 3.0°</b><br>• 3° Conical top     |  |

### SmartFit™ WaterWand™ STANDARD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| MW18A    | 18" / 45 cm | 10        |
| MW22A    | 22" / 55 cm | 10        |

#### General purpose floor squeegee for kitchens, decks, pools, and other lighter jobs

- Twin natural foam-rubber blade and heavy-duty galvanized steel channel
- Easy flush-and-rinse design reduces harmful bacteria buildup
- Custom color coding chip system by zone reduces cross-contamination
- Universal power socket locks onto standard handles including straight, tapered, thread and non-thread tips

### SmartFit™ WaterWand™ HEAVY DUTY

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| HM22A    | 22" / 55 cm | 10        |
| HM30A    | 30" / 75 cm | 10        |
| HM30K    | 30" / 75 cm | 1         |
| HW30A    | 30" / 75 cm | 10        |

#### Removes water easily from uneven floor surfaces, such as grouted tile, or non-slip and broadcast grid floors


- Double black foam-rubber blade and heavy-duty galvanized steel channel
- Easy flush-and-rinse design reduces harmful bacteria buildup
- Custom color coding chip system by zone reduces cross-contamination
- HM30K – includes compact mop handle (MS14G)
- HW30A – double red neoprene foam-rubber blade
- Universal power socket locks onto standard handles including straight, tapered, thread and non-thread tips

### SANITARY SQUEEGEES

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| PM45A    | 18" / 45 cm | 10        |
| PM55A    | 22" / 55 cm | 10        |

Acid-resistant, non-corroding double black foam-rubber blade squeegee with ACME thread & splash guard


- Durable threaded socket accepts ACME threaded handles
- Use with Pro Aluminum handles: ACME (AL14A) or 3.0 degrees (AL14T)




SmartFit™ WaterWand™  
STANDARD  
MW18A

#### CUSTOM COLOR CODED CHIP

- SmartColor system ensures no cross contamination



SmartFit™ WaterWand™  
HEAVY DUTY  
HM30A



SmartFit™ WaterWand™  
HEAVY DUTY  
HW30A



SANITARY STANDARD SQUEEGEE  
PM45A



AL14A

AL14T

# FLOOR SQUEEGEES



SANITARY BRUSH  
PB45A

AL14A




AL14T

## SANITARY BRUSH

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| PB45A    | 18" / 45 cm | 10        |
| PB55A    | 22" / 55 cm | 10        |

### Acid-resistant, non-corroding squeegee and brush in one

- Double black foam-rubber squeegee is perfect for drying tiles and grout lines
- Polypropylene bristles offer effective scrubbing while being gentle on floors



WaterWand™  
HEAVY DUTY  
HM750

WaterWand™  
HEAVY DUTY  
HW750

AL140



AL14G

## WaterWand™ HEAVY-DUTY

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| HM550    | 22" / 55 cm | 10        |
| HM750    | 30" / 75 cm | 10        |
| HW750    | 30" / 75 cm | 10        |

### Removes water easily from uneven floor surfaces such as grouted tile or non-slip and broadcast grid floors with double black foam-rubber blade

- HW750 - Double red neoprene foam-rubber blade
- Reinforced handle socket to tackle heavy dirt
- Sturdy 20-gauge steel frame with socket clamp
- Optional ACME thread insert sold separately



WaterWand™  
STANDARD  
MW450

AL140



AL14G

## WaterWand™ STANDARD

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| MW450    | 18" / 45 cm | 10        |
| MW550    | 22" / 55 cm | 10        |

### Screw-locking socket and twin natural foam-rubber blade

- Ideal for kitchens, decks, pools, and other light jobs
- Sturdy 20 gauge steel frame with socket clamp
- Optional ACME thread insert sold separately
- Use with Pro Aluminum handles: 1.5° (AL140) or 1.5° Knock Down (AL14G)

### AquaDozer™ ECO

| Part No. | Size        | Case Qty. |
|----------|-------------|-----------|
| FE450    | 18" / 45 cm | 6         |
| FE600    | 24" / 60 cm | 6         |

**Ideal for moving water, mud, and other debris from areas such as warehouses, garages, and factories**

- 14-gauge galvanized steel frame with black EPDM rubber
- Use with Pro Aluminum handle: 3.0° (AL14T)



AquaDozer™ ECO  
FE450



AL14T

### AquaDozer™ HEAVY-DUTY

| Part No. | Size                 | Case Qty. |
|----------|----------------------|-----------|
| FP450    | Straight 18" / 45 cm | 6         |
| FP600    | Straight 24" / 60 cm | 6         |
| FP750    | Straight 30" / 75 cm | 6         |
| FP900    | Straight 36" / 90 cm | 6         |
| FP60C    | Curved 24" / 60 cm   | 6         |
| FP90C    | Curved 36" / 90 cm   | 6         |

**For heavy-duty jobs moving large volumes of water, mud, waste, and debris**

- Made with black EPDM rubber (used in food processing)
- Constructed with 14-gauge powder-coated steel frame
- Reinforced zinc alloy handle socket
- Optional ACME threaded insert sold separately
- Use with Pro Aluminum handle: 3.0° (AL14T)



AquaDozer™ HEAVY-DUTY  
FP450




AL14T

### AquaDozer™ MAX

| Part No. | Size                 | Case Qty. |
|----------|----------------------|-----------|
| FX900    | Straight 36" / 90 cm | 4         |
| FX90C    | Curved 36" / 90 cm   | 4         |

**Durable steel body for tough demands including flood clean up**

- Unique curved blade maximizes cleaning performance
- Rubber blade cleans and dries floor
- Best for smooth surfaces like asphalt and concrete floors
- Use with Pro Aluminum handle: 3.0° (AL14T)



AquaDozer™ MAX (STRAIGHT)  
FX900

AquaDozer™ MAX (CURVED)  
FX90C



AL14T



STRAIGHT  
FX900



CURVED  
FX90C



Quality Tools for Smart Cleaning™

# LITTER REMOVAL



## FEATURED PRODUCT

pg. 83



### NiftyNabber® PRO

| Part No. | Length      | Case Qty. |
|----------|-------------|-----------|
| NN900    | 38" / 97 cm | 10        |

**UNGER** cleaning tools solve litter problems with safety and efficiency. Designed to minimize strain and injury, they eliminate bending and backaches while reaching high or low. Their ergonomic handles and lightweight design make cleaning fast and easy, ensuring spotless grounds.

## LEARN MORE HERE



**EFFICIENT, SAFE, AND EASY**

# LITTER REMOVAL

## NIFTY NABBER TOOLS

### NiftyNabber® PRO

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| NN400    | 20" / 52 cm  | 5         |
| NN900    | 38" / 97 cm  | 10        |
| NN140    | 51" / 130 cm | 5         |
| NN960    | 94" / 238 cm | 6         |

#### Strong enough for heavy-duty work, light enough to protect from back and arm strain

- Durable steel shaft for long-lasting, dependable use
- Shaft on the NN960 is made of aluminum, designed to decrease fatigue and make overhead use easier

### NiftyNabber® TRIGGER GRIP

| Part No. | Length      | Case Qty. |
|----------|-------------|-----------|
| NT060    | 24" / 63 cm | 5         |
| NT080    | 32" / 83 cm | 5         |
| NT090    | 36" / 93 cm | 5         |

#### Comfortable grip with smooth, trigger-pull action

- Access hard-to-reach areas or items with 360° rotating head
- Magnetic tip allows user to pick up small metal objects, up to .25 lbs
- Lightweight aluminum shaft, designed to decrease fatigue and make waist-high and overhead use easier

### PEOPLE'S PAPER PICKER PIN

| Part No. | Length       | Case Qty. |
|----------|--------------|-----------|
| PPPP0    | 42" / 107 cm | 10        |

- Effective waste removal using strong metal pin
- Easily picks up litter such as paper, cans, and plastic cups

### REPLACEMENT PIN PLUGS

| Part No. | Case Qty. |
|----------|-----------|
| PINP0    | 10        |



### NEOPRENE GLOVES

| Part No. | Size    | Case Qty. |
|----------|---------|-----------|
| GLOV2    | Large   | 1 Pair    |
| GLOV3    | X-Large | 1 Pair    |

- Neoprene exterior, plus interior foam insulation
- Textured palm provides a non-slip grip
- Hook & loop strap provides a secure fit



### NiftyNabber® BAGGER

| Part No. | Size / Capacity                         | Case Qty. |
|----------|-----------------------------------------|-----------|
| NB300    | 23" x 27" / 40 Gal<br>58 x 68 cm / 38 L | 1         |

- Bagger collapses and secures for compact shipping and easy storage
- Bottom drainage holes make rinsing easy
- Uses standard 55 gal. trash bags (weight capacity: 65 lbs)
- Sturdy web handles and rugged bottom allow easy dragging over pavement

### i NiftyNabber® TRIGGER GRIP DESIGN ADVANTAGES

#### ERGONOMIC DESIGN

Ergonomically designed grip with smooth trigger-pull action for increased comfort and efficiency



#### ROTATING HEAD

Access hard-to-reach areas or items with 360° rotating head



#### TIGHT GRIP

The rubber claws allow users to pick up and hold small objects



#### MAGNETIC TIP

Use the grabber to pick up small metal objects - up to .25 lb





Quality Tools for Smart Cleaning™

# 100%

## CUSTOMER SATISFACTION GUARANTEE

At Unger, we aim to stand apart from the rest thanks to our special “Yes We Can!” service spirit. We love what we do and as proof of that, we promise to deliver a 100% Customer Satisfaction Guarantee on every product and service we offer.

For our latest terms and conditions, please refer to our website:  
[usa.ungerglobal.com/terms-of-use/](http://usa.ungerglobal.com/terms-of-use/)  
or scan here!



## THE MOST INNOVATIVE CLEANING TOOL SOLUTIONS FOR FASTER, SAFER AND CLEANER RESULTS

Unger Enterprises, LLC  
425 Asylum Street  
Bridgeport, CT 06610  
Tel.: (1) 800.431.2324  
Fax: (1) 800.367.1988  
[unger@ungerglobal.com](mailto:unger@ungerglobal.com)



24188 KG15000 1025