SAFETY DATA SHEET



Easy Glide Glass Cleaner (US-CA-MX / EN) V3



The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 09.10.2018

 Revision date
 11.05.2022

1.1. Product identifier

Product name Easy Glide Glass Cleaner (US-CA-MX / EN) V3

Article no. FR110 / FR380 / 974000-0400

1.2. Relevant identified uses of the substance or mixture and uses advised against

Function Description: Detergent

Product group Cleaning agents

Use of the substance / preparation Glass Cleaner - Non-Aerosol

Uses advised against No specific uses advised against are identified.

The chemical can be used by the

general public

Yes

1.3. Details of the supplier of the safety data sheet

Company name Unger Enterprises LLC

Office address 425 Asylum Street

Postcode 06610

City Bridgeport, CT

Country United States of America

Telephone number +1 800 431 2324

Fax +1 800 367 1988

Email <u>compliance@ungerglobal.com</u>

Website http://www.ungerglobal.com

1.4. Emergency telephone number

Identification, comments For Hazardous Materials [or Dangerous Goods] Incident - Spill, Leak, Fire,

Exposure, or Accident - Call CHEMTREC Day or Night.

Within USA and Canada: 1-800-424-9300 CCN726541 or +1 703-527-3887

(collect calls accepted).

Within Mexico, please call + 1 203 366 4884 (collect calls accepted) between

8:30 am - 5:00 pm Eastern Time Zone (EST/EDT).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP classification, comments

Not classified as hazardous according to OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CLP classification, notes Acute toxicity - Oral: not classified

Acute toxicity - Dermal: not classified

2.2. Label elements

Composition on the label Sodium alpha olefine sulfonate 0,1 - 1,0 % wt/wt, 2-(2-Methoxypropoxy)propanol

0,1 - 1,0 % wt/wt, Sodium sulfate < 0,1 % wt/wt, Magnesium nitrate < 0,1 % wt/wt,

Magnesium chloride < 0,1 % wt/wt, Mixture of

5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and

2-methyl-2H-isothiazol-3-one [CAS No. 2682-20-4] (3:1) (US) < 0,1 % wt/wt

Precautionary Statements - Prevention

If medical advice is needed, have product container or label at hand.

Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor / physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Supplemental label information Hazards not otherwise classified (HNOC) - Other Information

Contains mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4]

and 2-methyl-2H-isothiazol-3-one [CAS No.

2682-20-4} (3:1). May produce an allergic reaction.

2.3. Other hazards

Physicochemical effects Cf. section 9 for physical-chemical information.

Health effect Cf. section 11 for toxicological information

Environmental effects Cf. section 12 for information on ecology.

Symptoms and effects of potential

misuse

No information required.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

| Substance | Identification | Classification | Contents | Notes |
|-------------------------------------|---------------------|---------------------|-------------------|-------|
| Sodium alpha olefine sulfonate (US) | CAS No.: 68439-57-6 | Skin Irrit. 2; H315 | 0,1 - 1,0 % wt/wt | |
| | | Eye Irrit. 2; H319 | | |
| | | Aquatic Chronic 2: | | |

| | | H411 | |
|--|---|-----------------------|-------------------|
| 2-(2-Methoxypropoxy) propanol (US) | CAS No.: 34590-94-8 | | 0,1 - 1,0 % wt/wt |
| Sodium sulfate (US) | CAS No.: 7757-82-6 | | < 0,1 % wt/wt |
| Magnesium nitrate (US) | CAS No.: 10377-60-3 | Ox. Sol. 3; H272 | < 0,1 % wt/wt |
| Magnesium chloride (US) | CAS No.: 7786-30-3 | | < 0,1 % wt/wt |
| Mixture of | CAS No.: 55965-84-9 | Acute Tox. 2; H300 | < 0,1 % wt/wt |
| 5-chloro-2-methyl-4-isothiazolin-3-one | | Acute Tox. 3; H311 | |
| [CAS No. 26172-55-4] and | | Skin Corr. 1B; H314 | |
| 2-methyl-2H-isothiazol-3-one [CAS | | Skin Sens. 1; H317 | |
| No. 2682-20-4] (3:1) (US) | | Acute Tox. 3; H331 | |
| | | STOT SE 3; H335 | |
| | | Aquatic Acute 1; H400 | |
| | | Aquatic Chronic 1; | |
| | | H410 | |
| Description of the mixture | Aqueous solution of organic substances. Green. Non-viscous. 0% of the mixture consists of ingredients(s) of unknown toxicity. | | |
| Remarks, substance | The exact percentage (concentration) of composition has been withheld as a trade secret. | | |
| | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

| General | Place unconscious person on the side in the recovery position and ensure breathing can take place. If medical advice is needed, have product container or label at hand. |
|--------------|---|
| Inhalation | Due to the small packaging the risk of inhalation is minimal. IF INHALED: Move into fresh air and keep at rest. |
| Skin contact | Wash skin with soap and water. |
| Eye contact | Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions. |
| Ingestion | Immediately rinse mouth and drink plenty of water (7-10 fl. oz.). Never give liquid to an unconscious person. DO NOT INDUCE VOMITING! If medical advice is needed, have product container or label at hand. |

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Specific details on antidotes Decontamination, symptomatic treatment. No special antidote known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Product doesn't ignite. Use fire-extinguishing media appropriate for surrounding

materials.

Improper extinguishing media

Water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards This product is not flammable.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide (CO). Nitrous gases (NOx). Organic

decomposition products.

5.3. Advice for firefighters

Personal protective equipment In case of inadequate ventilation wear respiratory protection. Use personal

protective equipment as required.

Special protective equipment for

firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid contact with eyes and skin.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static

discharges.

Hazardous combustion products Cf. se

Cf. section 5

For emergency responders

In case of inadequate ventilation wear respiratory protection. Use personal protective equipment as required.

6.2. Environmental precautions

Environmental precautionary measures

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Cleaning method

Absorb spillage with suitable absorbent material. Sweepup or pickup with an industrial vacuum cleaner, store in closed container for disposal.

6.4. Reference to other sections

Other instructions

Cf. section 8 for personal protection, and section 13 for waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Observe good chemical hygiene practices. Avoid contact with eyes and

prolonged skin contact. Avoid eating, drinking and smoking when using the

product.

Protective safety measures

Protective safety measures

Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2. Conditions for safe storage, including any incompatibilities

Storage Store at moderate temperatures in dry, well ventilated area.

Conditions for safe storage

Technical measures and storage conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Requirements for storage rooms and vessels

Storage in gateways, passages, stairways, hallways open to public, roofs, attics, cellars and workrooms is not advisable.

Advice on storage compatability

No incompatibilities known.

7.3. Specific end use(s)

Recommendations Cf. section 1.2

SECTION 8: Exposure controls / personal protection

Identification

8.1. Control parameters

Substance 2-(2-Methoxypropoxy)

propanol (US)

CAS No.: 34590-94-8

Exposure limits Limit value (8 h) : 600 mg/ TWA Year

т³

Exposure limit letterLetter code: OSHA-PEL /

long-term

Exposure limit letter Letter description:

Permissible Exposure Level / 8 hours (shift length)

Source: U.S. Occupational Safety and Health

Standards 29 CFR 1900 Subpart Z Table Z-1 Limit value (8 h): 100 ppm

Exposure limit letter
Letter code: ACGIH-TLV /

long-term

Exposure limit letter

Letter description: Time weighted value / 8 hous

(shift length)
Source: American
Conference of

Governmental Hygienists

(ACGIH)

Limit value (short term)

Value: 900 mg/m³ **Exposure limit letter**Letter code: NIOSH-REL /

short-term

Exposure limit letter

Letter description: Recommended Exposure

Limit / 15 minutes

Source: Recommendations for Occupational Safety and Health - Compendium of Policy Documents and Statements. National Institute for Safety & Health

(NIOSH/USA) /

NIOSH-IDHL: 600 ppm /

3600 mg/m³

Limit value (short term)

Value: 150 ppm **Exposure limit letter** Letter code: ACGIH-STEL /

short-term

Exposure limit letter

Letter description:

Short-term exposure limit /

15 minutes

Source: American Conference of

Governmental Hygienists

(ACGIH)

Biological limit value Recommended monitoring procedures: DFG Air Analysis: Method No. 3 Solvent

mixtures.

MTA/MA-017/A89: Determination of glycol ethers.

MétroPol Fiche 022: Éthers de glycol.

8.2. Exposure controls

Precautionary measures to prevent exposure

Organisational measures to prevent exposure

Thoroughly clean hands, forearms, and face after handling of the product, before eating, drinking and lavatory use, and at the end of the work shift.

Technical measures to prevent exposure

Use engineering controls to reduce air contamination to permissible exposure level.

Eye / face protection

Eye protection Wear approved, tight fitting safety glasses where splashing is probable.

Hand protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Suitable materials Gloves of nitrile rubber, PVA or Viton are recommended.

Unsuitable materials

Breakthrough time

Value: >480 min

Thickness of glove material

Value: 0,4 mm

Reference to relevant standard On basis of test data.

Skin protection

Skin protection (except hands) Generally regular work clothing sufficient.

Respiratory protection

Respiratory protection Under normal conditions of use respiratory protection should not be required. In

case of inadequate ventilation or when the product is heated, use suitable

respiratory equipment with gas filter (type A2).

Hygiene / environmental

Specific hygiene measures No specific hygiene procedures noted, but good personal hygiene practices are

always advisable, especially when working with chemicals. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating,

smoking and using the toilet.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Non-viscous.

Colour Clear. Green.

Odour Pleasant.

pH Status: In delivery state

Comments: No data recorded.

Status: In aqueous solution

Value: 9,5 - 10,5

Boiling point / boiling range Value: < 212 °F

Flash point Value: > 200 °F

Evaporation rate Comments: No data recorded.

Flammability No data recorded.

Vapour pressure Comments: No data recorded.
Vapour density Comments: No data recorded.

Relative density Value: 0,999

Density Value: 8.32

Comments: unit: lb/gal (pound per gallon)

Solubility in water Unlimited miscible

Decomposition temperature Comments: No data recorded.

Viscosity Comments: Water thin

Explosive properties Not explosive

Oxidising properties Not oxidizing

9.2. Other information

Softening point Comments: No data available

Physical hazards

Content of VOC Value: 0,95 %

Particle size Comments: Technically not feasible.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable in normal conditions.

10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
No hazardous reactions under regular storage and handlings conditions known.

10.4. Conditions to avoid

Conditions to avoid Heating.

10.5. Incompatible materials

Materials to avoid Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other

toxic gases or vapours. Organic decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance Sodium alpha olefine sulfonate (US)

Acute toxicity Type of toxicity: Acute

Effect tested: LD50 Route of exposure: Oral Value: 2310 mg/kg Animal test species: Rat

Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: 6300 mg/kg

Animal test species: Rabbit

Substance 2-(2-Methoxypropoxy)propanol (US)

Acute toxicity Type of toxicity: Acute

Effect tested: LD50 Route of exposure: Oral Value: 5400 µl/kg Animal test species: Rat

Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: 9500 mg/kg Animal test species: Rabbit

Substance Sodium sulfate (US)

Acute toxicity Type of toxicity: Acute

Effect tested: LD50 Route of exposure: Oral Value: > 10000 mg/kg Animal test species: Rat

Substance Magnesium nitrate (US)

Acute toxicity Type of toxicity: Acute

Effect tested: LD50 Route of exposure: Oral Value: 5440 mg/kg Animal test species: Rat

Substance Magnesium chloride (US)

Acute toxicity Type of toxicity: Acute

Effect tested: LD50 Route of exposure: Oral Value: 2800 mg/kg Animal test species: Rat

Substance Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and

2-methyl-2H-isothiazol-3-one [CAS No. 2682-20-4] (3:1) (US)

Acute toxicity **Type of toxicity:** Acute

Effect tested: LD50 Route of exposure: Oral Value: > 2500 mg/kg Animal test species: Rat

Comments: Methyl isothiazolinone CAS No. 2682-20-4

Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: > 2000 mg/kg Animal test species: Rat

Comments: Methyl isothiazolinone CAS No. 2682-20-4

Type of toxicity: Acute

Effect tested: LC50

Route of exposure: Inhalation.

Duration: 4 h **Value:** 5,71 mg/L **Animal test species:** Rat

Comments: Methyl isothiazolinone CAS No. 2682-20-4

Other information regarding health hazards

Inhalation No specific health warnings noted. Dust may irritate respiratory system.

Skin contact No specific health warnings noted. Dust has an irritating effect on moist skin.

Prolonged contact may cause redness and irritation.

Eye contact No specific health warnings noted. Prolonged contact may cause redness and/or

tearing. Causes serious eye irritation.

Ingestion No specific health warnings noted. The product causes irritation of mucous

membranes and may cause abdominal discomfort if swallowed. Ingestion may

cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

Skin sensitisation, human

experience

The product contains a mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction by contact with

already sensitized persons.

Sensitisation No specific health warnings noted.

Mutagenicity No specific health warnings noted.

Carcinogenicity, other information The product contains magnesium nitrate CAS No. 10377-60-3 classified by IARC

as probably carcinogenic to humans (Group 2A).

Teratogenic properties No specific health warnings noted.

Reproductive toxicity No specific health warnings noted.

STOT-single exposure No data available, probably no subchronic toxicity

STOT-repeated exposure No data available, probably no chronic toxicity

Aspiration hazard No data recorded.

SECTION 12: Ecological information

12.1. Toxicity

Substance Sodium alpha olefine sulfonate (US)

Aquatic toxicity, fish **Value:** 1,0 - 10,0 mg/L

Test duration: 96 h Species: Brachydanio rerio Method: semi-static

Substance 2-(2-Methoxypropoxy)propanol (US)

Aquatic toxicity, fish Value: 10000 mg/L

Test duration: 96 h

Species: Pimephales promelas

Method: static

Substance Sodium chloride (US)

Aquatic toxicity, fish Value: 5560 - 6080 mg/L

Test duration: 96 h

Species: Lepomis macrochirus

Method: flow-through

Comments: Value: 6420-6700 mg/L

Method of testing: static

Fish, species: Pimephales promelas

Duration: 96 h

Value: 4747-7824 mg/L

Method of testing: flow-through Fish, species: Oncorhynkus mykiss

Duration: 96 h

Value: 12949 mg/L Method of testing: static

Fish, species: Lepomis macrochirus

Duration: 96 h

Value: 6020-7070 mg/L Method of testing: static

Fish, species: Pimephales promelas

Duration: 96 h

Value: 7050 mg/L

Method of testing: semi-static Fish, species: Pimephales promelas

Duration: 96 h

Substance Sodium sulfate (US)

Aquatic toxicity, fish Value: 13500 mg/L

Test duration: 96 h

Species: Lepomis macrochirus **Comments:** Value: 13500 - 14500 mg/L Fish, species: Pimephales promelas

Duration: 96 h

Value: 3040 - 4380 mg/L

Fish, species: Lepomis macrochirus

Method of testing: static

Duration: 96 h

Value: 6800 mg/L

Fish, species: Pimephales promelas

Method of testing: static

Duration: 96 h

Substance Magnesium chloride (US)

Aquatic toxicity, fish Value: 4210 mg/L

Test duration: 96 h **Species:** Gambusia affinis

Method: static

Comments: Value: 1970-3880 mg/L

Method of testing: static

Fish, species: Pimephales promelas

Duration: 96 h

Substance Magnesium chloride (US)

Aquatic toxicity, algae **Value:** 200 mg/L

Test duration: 72 h

Species: Desmodesmus subspicatus

Method: unknown

Substance 2-(2-Methoxypropoxy)propanol (US)

Aquatic toxicity, crustacean Value: 1919 mg/L

Test duration: 48 h **Species:** Daphnia magna **Method:** unknown

Substance Sodium chloride (US)

Aquatic toxicity, crustacean Value: 340,7 - 469,2 mg/L

Test duration: 96 h **Species:** Daphnia magna

Method: static

Comments: Value: 1000 mg/L Method of testing: unknown Daphnia, species: Daphnia magna

Duration: 48 h

Substance Sodium sulfate (US)

Aquatic toxicity, crustacean Value: 630 mg/L

Test duration: 96 h **Species:** Daphnia magna **Comments:** Value: 2564 mg/L Daphnia, species: Daphnia magna

Duration: 48 h

Substance Magnesium chloride (US)

Aquatic toxicity, crustacean Value: 1400 mg/L

Test duration: 24 h **Species:** Daphnia magna **Method:** unknown

Comments: Value: 140 mg/L Method of Testing: static

Daphnia, species; Daphnia magna

Duration: 48 h

12.2. Persistence and degradability

Persistence and degradability,

comments

All organic components are considered biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility

No data on possible environmental effects have been found.

12.5. Results of PBT and vPvB assessment

PBT assessment results This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Ozone depletion potential Comments: Ozone depletion potential not known

Photochemical ozone creation

potential

Comments: Ozone formation potential not known

Global warming potential Comments: Global greenhouse effect not known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal Dispose of waste and residues in accordance with local authority requirements. No specific disposal method required.

Relevant waste regulation USA: Federal waste regulation: 40 CFR 261

Canada: Canadian Environmental Protection Act (CEPA 1999; s.s..1999, c.33)

Part 7 Controlling Pollution and Managing Wastes.

Mexico: Regulation of the General Law of Ecological Balance and Environmental

Protection in Hazardous Waste.

Hazardous waste product This product contains one or more substances that are listed with the State of

California as a hazardous waste:

Magnesium nitrate CAS No. 10377-60-3: ignitable, reactive.

Product classified as hazardous

waste

Yes

Packaging classified as hazardous

waste

Yes

SECTION 14: Transport information

14.1. UN number

Comments No recommendation given.

14.2. UN proper shipping name

Comments No recommendation given.

14.3. Transport hazard class(es)

Comments No recommendation given.

14.4. Packing group

Comments No recommendation given.

14.5. Environmental hazards

Comments

No recommendation given.

14.6. Special precautions for user

Special safety precautions for user No recommendation given.

14.7. Maritime transport in bulk according to IMO instruments

Product name No recommendation given.

Additional information

Additional information The product is not covered by international regulation on the transport of

dangerous goods (IMDG, IATA, ADR/RID).

ADR/RID Other information

ADR Other information No recommendation given.

ADN Other information

Other information No recommendation given.

IMDG Other information

IMDG Other information No recommendation given.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

References (laws/regulations) International Inventories

USA: All compounds are listed on the TSCA Inventory Canada: All components are listed either on the DSL or NDSL.

danada. 7 iii domponemo are noted entrer on the Boz of NB

Regulations of the United States of America:

29 CFR 1910.1200, Subpart Z (Toxic and Hazardous Substances), App. A (Health Hazards), App B (Physical Criteria), App C (Allocation of Label Elements), App D (Minimum Information for a SDS), App E (Trade Secret), App F (Carcinogenicity).

US Federal Regulations:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories:

Acute Health Hazard Yes Chronic Health Hazard No Fire Hazard No

Sudden release of pressure hazard No

Reactive Hazard No

CWA (Clean Water Act):

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations:

This product does not contain any substances regulated by state right-to-know regulations.

Regulations of Canada:

Workplace Hazardous Materials Information System (WHMIS 2015), adoption to the Globally Harmonized System (GHS).

Hazardous Products Act (R.S.C., 1985, c.H-3), last amended Feb 11, 2015. Hazardous Products Regulation (SOR / 2015-17), last amended Feb 11, 2015.

Regulations of Mexico:

Official Mexican Standard NMX-R-019-SCFI-2011, harmonized system of classification and hazard communication of chemicals [Globally Harmonized System (GHS)] (DOF, 29-VI-2011).

Official Mexican Standard NOM-018-STPS-2000, system for the identification and communication of hazards and risks from hazardous chemicals in the workplace (DOF. 27-X-2000).

15.2. Chemical safety assessment

Chemical safety assessment performed

No

Chemical safety assessment

No data recorded.

Exposure scenarios for mixture

No

Exposure scenario comments

No recommendation given.

SECTION 16: Other information

Supplier's notes

The information on this data sheet represents our current data and is reliable

1

Version

provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. List of relevant H-phrases (Section H272 May intensify fire; oxidiser. 2 and 3) H300 Fatal if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Training advice not relevant Recommended restrictions on use Not relevant. User notes In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material, as far as not expressly stated otherwise.